

# MAS Certified Green® Certificate of Compliance Low-Emitting Materials



Awarded to: ***BUZZ SEATING INC.***  
P.O. BOX 31379, CINCINNATI, OH 45231

Category: Office Contract Furniture - Seating  
Cert. Scheme: VOC Emissions

Accredited Standards & Test Methods: ANSI/BIFMA x7.1-2011 (R2021) *office seating*  
ANSI/BIFMA e3-2019, Section 7.6.1, 7.6.2, 7.6.3 *office & classroom seating*  
California Dept. of Public Health Standard Method v1.2 *office & classroom seating*  
(2 chairs per open office) (27 chairs per classroom)

\*Conforms With: Criteria of MAS Certified Green® Program *low-emitting materials*  
LEED v4.1 ID+C, BD+C *low-emitting materials*  
CHPS 2019 Core Criteria 3.0 EQ C6.1.4 *administrative area & teacher seating*  
*classroom seating*

Certified Products: Seating Products  
(see page 2 for list of certified products)

Test Date: January 8, 2024 Report No.: 2300890 Certificate No.: MAS2300890-R1

Valid: January 2024 to January 2025



Testing Cert. # 2925.01  
Product Cert. # 2925.02

Product Certifier, MAS Certified Green CT

Laboratory Testing by [Materials Analytical Services, LLC](#) - ISO/IEC 17025:2017  
3<sup>rd</sup> Party Product Certification by [MAS Certified Green®](#) - ISO/IEC 17065:2012  
\*outside of A2LA accreditation scope

Page 1 Of 2

3945 Lakefield Ct. · Suwanee, Ga. 30024 · 770-866-3206 · <http://www.mascertifiedgreen.com/>

# MAS Certified Green® Certificate of Compliance

## Low-Emitting Materials



Awarded to: **BUZZ SEATING INC.**  
 P.O. BOX 31379, CINCINNATI, OH 45231

### Certified Products - General Seating Bracket

#### Task, Management and Conference Chairs

|               |              |             |              |               |             |
|---------------|--------------|-------------|--------------|---------------|-------------|
| <i>Bailey</i> | <i>Dandy</i> | <i>Melo</i> | <i>Nifty</i> | <i>Pronto</i> | <i>Rika</i> |
|---------------|--------------|-------------|--------------|---------------|-------------|

#### Lobby, Guest, Side, and Stacking Chairs

|                         |                             |                       |              |
|-------------------------|-----------------------------|-----------------------|--------------|
| <i>Caboodle Nesting</i> | <i>Flite Stacking Chair</i> | <i>Jem Side Chair</i> | <i>LOD20</i> |
| <i>LOD 157</i>          | <i>LOD 189</i>              | <i>Melo</i>           | <i>Start</i> |

#### Heavy Duty Chairs

|                       |                    |                    |               |
|-----------------------|--------------------|--------------------|---------------|
| <i>Big &amp; Tall</i> | <i>Pronto 24/7</i> | <i>Pronto Mesh</i> | <i>Shield</i> |
|-----------------------|--------------------|--------------------|---------------|

#### Leather on Demand

|                |               |                |                |                   |              |
|----------------|---------------|----------------|----------------|-------------------|--------------|
| <i>LOD20</i>   | <i>LOD28</i>  | <i>LOD45</i>   | <i>LOD48</i>   | <i>LOD50</i>      | <i>LOD55</i> |
| <i>LOD58**</i> | <i>LOD65</i>  | <i>LOD68</i>   | <i>LOD75</i>   | <i>LOD78</i>      | <i>LOD85</i> |
| <i>LOD88</i>   | <i>LOD151</i> | <i>LOD 157</i> | <i>LOD 189</i> | <i>Series RIK</i> |              |

#### For the Classroom

|                               |             |             |                   |
|-------------------------------|-------------|-------------|-------------------|
| <i>Caboodle Nesting Chair</i> | <i>Melo</i> | <i>Snap</i> | <i>Snap Stool</i> |
|-------------------------------|-------------|-------------|-------------------|

#### Medical, Dental and Specialty Stools and Chairs

|                               |                           |                       |                  |
|-------------------------------|---------------------------|-----------------------|------------------|
| <i>Jem Polyurethane Stool</i> | <i>Polyurethane Stool</i> | <i>Medical/Dental</i> | <i>Sit Stand</i> |
|-------------------------------|---------------------------|-----------------------|------------------|

#### Stools

|                       |                  |                  |             |                 |               |
|-----------------------|------------------|------------------|-------------|-----------------|---------------|
| <i>Big &amp; Tall</i> | <i>JEM</i>       | <i>Medical</i>   | <i>Melo</i> | <i>Nifty</i>    | <i>Pronto</i> |
| <i>Rika Fabric</i>    | <i>Rika Mesh</i> | <i>Sit Stand</i> | <i>Snap</i> | <i>Urethane</i> |               |

(\*\*Product tested as a representative example for the above-listed products.)

Test Date: January 8, 2024

Report No.: 2300890

Certificate No.: MAS2300890-R1

Valid: January 2024 to January 2025



Testing Cert. # 2925.01  
 Product Cert. # 2925.02

Product Certifier, MAS Certified Green CT

Laboratory Testing by [Materials Analytical Services, LLC](#) - ISO/IEC 17025:2017  
 3<sup>rd</sup> Party Product Certification by [MAS Certified Green®](#) - ISO/IEC 17065:2012

\*outside of A2LA accreditation scope  
 3945 Lakefield Ct. · Suwanee, Ga. 30024 · 770-866-3206 · <http://www.mascertifiedgreen.com/>