BUZZSeating

Quality-Made, Certified-Green Office Chairs









PRICE LIST

US EDITION

JANUARY 2026

TABLE OF CONTENTS

| EXECUTIVE TASK CHAIRS | |
|-----------------------------------|-------|
| Brella | 12 |
| Leather On Demand | 28-29 |
| HEAVY-DUTY TASK CHAIRS | |
| Big & Tall | 8-11 |
| Pronto 24/7 | 53-56 |
| Shield Law Enforcement Chair | 62-63 |
| MESH-BACK TASK CHAIRS | |
| Cloud Chair | 15 |
| Dapper | 18 |
| Dandy | 17 |
| Keen | 27 |
| Melo Task | 33-34 |
| Melo Basic | 32 |
| Nifty | 35 |
| Pronto Mesh/Heavy Duty | 57 |
| Rika - Upholstered Seat/Mesh Back | |
| Rika - Mesh Seat/Mesh Back | |
| Rika - Leather Seat/Mesh Back | 61 |
| PARTS/ACCESSORIES | |
| Accessories | 66 |
| Arm Options | 65 |
| Arm Pad Options | 66 |
| Caster Options | 65 |
| Parts List | 67-68 |
| PRONTO SERIES | |
| Bantam | 37-40 |
| Petite | 41-44 |
| Midback | 45-48 |
| Highback | 49-52 |
| 24/7 Midback | 53-54 |
| 24/7 Highback | 55-56 |
| 3 | |
| 24/7 Mesh-Back | 57 |

| SIDE CHAIRS |
|---|
| Caboodle Nesting Chair |
| Flite 2.0 Stacking Chair |
| Jem |
| Jem+323 |
| Jem+6 |
| Lineup Nesting Chair |
| Melo Side Chair31 |
| |
| SMALL FOOTPRINT TASK CHAIRS |
| Dandy |
| Snap |
| |
| SPECIALITY STOOLS/URETHANE |
| General Purpose/Medical/Dental20-21 |
| Jem25-26 |
| Polyurethane |
| Pronto Sit Stand |
| |
| ST00LS |
| Brella |
| Cloud |
| Melo Task |
| Nifty35 |
| Pronto Petite41-42 |
| Pronto Midback45-46 |
| Pronto Highback |
| Pronto 24/7 Midback |
| Pronto 24/7 Highback55-56 |
| Pronto Mesh Heavy Duty57 |
| Rika - Upholstered Seat/Mesh Back 59 |
| Rika - Mesh Seat/Mesh Back |
| Snap |
| |
| |
| OTHER |
| COM Instructions (Customer's Own Material)6 |
| COM Form (Customer's Own Material)7 |
| GSA Contract3 |
| Index (Alphabetical)69 |

Terms & Conditions

GSA CONTRACT



1b.

Special Item Numbers Awarded:

PRB01

FL00

Multipurpose Seating

\$535.00

\$395.00

The 48 contiguous states and the District of Columbia,

Notification that government purchase cards are accepted or not accepted above the micro-purchase threshold

Yes-Credit Cards accepted-Visa and Mastercard

Yes-Credit Cards accepted-Visa and Mastercard

Notification whether government purchase cards are

accepted or not accepted above the micro-purchase

Alaska, Hawaii, Puerto Rico, and the Virgin Islands

Stacking Chairs

33721

33721

33721

33721

Hourly rates: Not Applicable

Maximum order: \$250,000.00

Mimimum order:

Georgaphic coverage:

Point of production:

Discount from list: **Contact Customer Service**

Quantity discounts:

Net 30 Days

Foreign items: None

Time of delivery:

Expedited delivery:

Urgent requirements:

F.O.B. points:

14 days after receipt of order

Overnight and 2-day delivery:

Available on all products-Contact Factory

Available on all products-Contact Factory

please contact the local dealer or factory

As per clause I-FSS-100 A, to effect a faster delivery,

Destination/CONUS, within the 48 contiguous states and

the District of Columbia. Port of embarkation for delivery

to Alaska, Hawaii, Puerto Rico and the Virgin Islands

10.

11b.

11d.

Contact Customer Service

Prompt payment terms:

Cincinnati, OH and Cambridge, ON

\$100.00

Lowest Priced Item:

GSA Contract No. GS-28F-0040U TIN# 03-053-1579 SIN# 33721

Schedule MAS Office Furniture

Contract Period: September 01, 2008 - August 31, 2028 **Business Size: Small**

Buzz Seating, Inc. 4774 Interstate Drive Cincinnati, OH 45246 Tel: (877) 263-5737 Fax: (513) 772-7328 Email: customerservice@buzzseating.com Authorized dealer should be noted on order

Ordering address:

13a.

- 13b. Ordering procedures: For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's) are found in Federal Acquisition Regulation (FAR) 8.405-3
- 14. Payment address: Buzz Seating, Inc. PO Box 31379 Cincinnati, OH 45231 Tel: (877) 263-5737 Fax: (513) 772-7328
- 15. Warranty provisions: Buzz Seating offers a lifetime warranty against manufacturer's defects on components and 5 years on fabric and foam
- Export packing charges: Quoted on request
- Terms and conditions of government purchase card acceptance: A. Credit card number

B. Credit card expiration date

- C. Individual's name as it appears on credit card & CVC code
- D. Telephone number to whom credit card is issued
- Terms and conditions of rental, maintenance and repair: Not applicable
- 19. Terms and conditions of installation: Contact Factory
- 20. Terms and conditions of repair parts: **Contact Factory**
- Terms and conditions for any other services: Contact Factory
- 21. Servicing Dealers: Available upon request
- List of participating dealers: Available upon request
- 23. Preventive maintenance: **Contact Factory**
- Special attributes such as environmental attributes: Not Applicable
- 24b. Not Applicable
- 25. Unique Entity Identifier (UEI): USUQSLEY3MN3
- 26. Central Contractor Registration: Buzz Seating, Inc. is registered and current in The System for Award Management (SAM.gov)

TERMS & CONDITIONS

By becoming an authorized dealer or placing an order with our company, you hereby acknowledge and agree to be bound by our full terms and conditions.

Prices

All prices are suggested manufacturer's list and are subject to change without notice.

Shipping Cartons/Blanket Wrap

All products are delivered in a box and assembly may be required. Blanket wrapped shipments can be prearranged with Customer Service for full truckload quantities only. Additional fees may apply.

Freight Terms & Claims

All shipments are subject to the standard freight program which requires a minimum of twelve (12) chairs shipping at the same time to the same location for free freight, or \$25 net per chair when ordering eleven (11) or fewer to the contiguous 48 United States. Prepaid freight is based upon standard ground shipments. Additional charges may apply for any special delivery requests such as inside or residential delivery, limited access or liftgate service. Buzz Seating reserves the right to determine the most economical shipment method and is not responsible for delays that may occur during transit. If any delivered product arrives damaged or missing parts, Buzz Seating must be notified within fourteen (14) calendar days of receipt of product. Purchaser waives any right to claim damage or missing parts and incurred charges will be the responsibility of the receiver for claims received after fourteen (14) calendar days.

Product Design

Buzz Seating reserves the right to make changes in design or material to discontinue products and/or change components at its discretion. Chair dimensions are often interpreted differently depending upon the manner in which measured. Actual dimensions can vary slightly depending on model and options selected.

To Order

Specify model number and all other applicable information on a purchase order. Orders will be immediately acknowledged identifying the products ordered, price and scheduled ship date. Customers are responsible to review order acknowledgments for accuracy. Please note that verbal orders cannot be accepted.

Changes and Cancellations

Orders that have entered any stage of production cannot be canceled without penalty. Order changes must be in writing and, upon review, a decision will be made if the change can be accepted and/or calculation of applicable or additional costs or fees due to change(s).

Returns

Authorization for return must be requested and approved by Buzz Seating prior to the return of the product. Returns are subject to a 35% restocking charge of the net sale and applicable shipping costs. Unauthorized returns will not be accepted.

Shipping Terms

Orders are shipped as soon as possible or as requested by the purchaser. Factors such as quantity or fabric selection can affect shipping schedules. Buzz Seating is not responsible or liable for any financial consequences resulting from production, shipping or delivery delays.

CAL 117-2013 and CAL 133

Buzz Seating's entire line meets CAL 117-2013 fire standards. CAL 133 is available on some models. Burn certificates available upon request. Check with Customer Service for additional information.

Authorized Dealer Requirement

The Company reserves the right to determine, in its sole discretion, whether to appoint an applicant as a dealer. To become an authorized Buzz Seating dealer, a dealer must be willing and able to provide full dealer services to the end user, including, but not limited to, design, product demonstrations, on-site installation, delivery, repairs, service, and warranty work. Additionally, Buzz Seating reserves the right to designate and authorize a dealer of record of its choice as it relates to a specific project, order or contract.

e-commerce

Buzz Seating reserves the right to restrict e-commerce sales of its products. Dealers are required to receive written permission to promote, display and sell Buzz Seating products via e-commerce. Additionally, a minimum advertised price (MAP) program must be observed.

Credit Terms and Policy

Where credit has been established, terms are net 30 days. A service charge of 1-1/2% per month or the maximum allowed by law will be imposed on all past due accounts. New accounts are required to submit a dealer application before an order can be processed. A minimum 50% deposit is required with the first order. Initial orders of \$1,000 or less require full prepayment. Once credit has been established, deposits are only required based upon payment history, unusual circumstances, or large orders. Payments made by credit card are subject to a 4% fee.

Warranty

Buzz Seating warrants to the original purchaser that components and workmanship will be free from defects under normal use from the date of original purchase as described below. As the sole remedy under this warranty, the company will repair or replace, at its discretion, without charge to original purchaser only the defective products or parts as follows:

Components

LIFETIME WARRANTY which is the entire time owned by the original end user for all chair components including pneumatic cylinder, mechanism, base, and casters.

Upholstery and Foam

5 year warranty on upholstery and foam; 10 year warranty on mesh. COM is not covered under the Buzz Seating warranty.

Normal use is defined under this warranty as standard commercial use based upon the product being properly utilized in a typical office environment, 8 hours per day, 5 days per week, with a weight limit not to exceed specified chair model weight. See specific chair series price book pages for weight limits and/or amended warranty information.

Normal wear and tear is not warrantied. Damages from misuse, abuse, alterations, accident or negligence are not covered. Buzz Seating is not responsible for incidental or consequential damages. Any labor or travel cost regarding installation, service, or repairs are the full responsibility of the dealer. Orders processed by Buzz Seating are done so with unconditional and full acceptance by the purchaser of Buzz Seating's published terms, conditions, and warranties. Absent Buzz Seating's willful misconduct or gross negligence, Buzz Seating shall not be liable for any damages or loss arising from the products, including personal injury or damage to property.

Buzz Seating reserves the right to replace any discontinued product under warranty with an equal product of its choice. In the case that product design changes or component alterations do not permit an equal or similar product to be supplied, Buzz Seating reserves the right to resolve any warranty issue at its own discretion.

Except for the express representations and warranties set forth herein, Buzz Seating expressly disclaims and makes no warranties or representations, either express or implied son the products, including, but not limited to, any warranty of quality, design, condition, merchantability, or fitness for any purpose, or any warranty against patent infringement or latent defects. Except as expressly contained herein, all products are acquired as is, where is, with all faults, and without express or implied warranty of any kind.

Force Majeure

Buzz Seating shall not be liable for delay or failure to perform due to any event reasonably beyond its control, including but not limited to: fire, flood, strike, act of God. act of any governmental authority or of customer, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations. In the event of a delay due to any such cause, Buzz Seating, at its sole discretion, may extend the date of delivery or time from completion as reasonably necessary to overcome the effect of such delay, to allocate any available supply of goods in a manner it deems reasonable, or to cancel any order. Should a qualifying event occur. Buzz Seating will immediately notify the customer's authorized representative by phone and email.

Buzz Seating strives to utilize North American manufactured components and labor whenever possible.

USMCA Compliant / TAA Compliant MAS Certified Green All products meet or exceed ANSI/BIFMA Standards

©2003-2026 Buzz Seating, Inc. All rights reserved.

COM Instructions (Customer's Own Material)

COM Approval

All COM fabric must be approved for use by Buzz Seating. It is recommended that a full yard of sample upholstery be submitted for testing and approval prior to processing an order. Many upholsteries are already pre-approved and do not require sampling. Please check with Customer Service for direction.

Yardage Requirements

For plain, non-directional, solid color or non-patterned upholstery, please follow the yardage requirements printed in this price book for each chair; however orders of 10 chairs or more usually require less yardage due to upholstery yield. Some repeat or patterned upholstery may require additional yardage. Contact Customer Service for exact yardage requirements.

Production Scheduling and Shipping

COM fabrics will be scheduled into production upon receipt of the fabric at our plant location.

Submitting COM Upholstery

For identification purposes, it is important to reference the dealer's name and purchase order number on all upholstery rolls. Upholstery that requires special application or direction must be clearly explained by completion and submission of the form below. It is very important to follow all instructions listed regarding submission of COM upholstery.

Please Note


COM fabric will be inspected at our plant for quality issues. Buzz Seating will not be held responsible for defects, color, dye lot variations, or material flaws regarding COM fabric. Buzz Seating does not provide warranty for COM fabrics. Excess yardage will not be returned unless requested. A written request must be received at the time of order for return of excess COM yardage. Shipping charges are applicable.

Custom Upholstery Requests

Buzz Seating offers a graded-in program for many upholstery suppliers that is published on the website. For any COM not listed, contact Customer Service for direction. Buzz Seating assumes no liability or warranty for any COM material. Only upholstery specifically carded within the Buzz Seating program will retain the published warranty.

COM Form (Customer's Own Material)

| lease Check One: | Upholstery and form for pre-testing and approval only Upholstery and form for actual order | PI |
|-------------------------|--|----|
| Name | Phone | |
| Contact Person | Fax | |
| Address | Email | |
| | | |
| Purchase Order Num | mber | |
| Chair Mo | 10del | |
| Qty Orde | dered | |
| Yardage Required Per C | Chair | |
| COM Mill Supp | pplier | |
| COM Upholstery Name/Num | mber | |
| COM Upholstery C | Color | |
| Total Yardage Ship | pped | |



PLEASE CONTACT CUSTOMER SERVICE FOR ADDRESS TO SHIP COM UPHOLSTERY

NOTE Be sure to follow COM instructions on previous page

Top of Chair

Attach Upholstery Here

(Place upholstery in the direction it should be applied to the chair. If not returned with upholstery direction specified, factory will make judgment.)

Bottom of Chair

basic task ratchet back

Stool package available

Arm Pad Options

(default pad in bold)

BAP, BT

BAP. BT



Model

BC01

- Heavy-duty components
- Basic or full-function mechanism
- 5-prong 27" nylon base

Arm Options

DA drop away

AT/AW adj. T

AL adj. loop

armless

• Heavy-duty CC01-HD casters

1

1195

1320

1320

1400

1460

- CY02-HD2 height cylinder
- · Built to last
- Partial assembly required

1610

| | 350 lb. ca | All prices are LIST | | | | | | |
|------|------------|---------------------|-------|------|--|--|--|--|
| СОМ | Upł | olstery Grad | Grade | | | | | |
| 2 | 3 | 4 | 5 | 6 | | | | |
| 1255 | 1285 | 1345 | 1405 | 1475 | | | | |
| 1380 | 1410 | 1470 | 1530 | 1600 | | | | |
| 1380 | 1410 | 1470 | 1530 | 1600 | | | | |

1550

350 lb. capacity

1490

All prices are LIST

1680

| Model | | Arm Ontions | Arm Pad Options | | СОМ | Upholstery Grade | | | | |
|------------------------------|--|---------------------|------------------------|------|------|-------------------------|------|------|------|--|
| Model | | Arm Options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 | |
| BC08 multi-tilt ratchet back | | armless | - | 1330 | 1390 | 1420 | 1480 | 1540 | 1610 | |
| | | DA drop away | BAP, BT | 1455 | 1515 | 1545 | 1605 | 1665 | 1735 | |
| | | AT/AW adj. T | BAP, BT | 1455 | 1515 | 1545 | 1605 | 1665 | 1735 | |
| | | AL adj. loop | - | 1535 | 1595 | 1625 | 1685 | 1745 | 1815 | |

Most nonular (recommended)

| Most popula | r (recommended) | | | | | 350 lb. ca | All pri | All prices are LIST | |
|--|-----------------|--|---------|------|----------|------------------|---------|---------------------|------|
| Model BC09 multi-tilt ratchet back integrated seat slider | | Arm Options Arm Pad Options (default pad in bold) | | 1 | СОМ 2 | Upholstery Grade | | e 5 | 6 |
| | | armless | - | 1375 | 1435 | 1465 | 1525 | 1585 | 1655 |
| | | DA drop away | BAP, BT | 1500 | 1560 | 1590 | 1650 | 1710 | 1780 |
| | | AT/AW adj. T | BAP, BT | 1500 | 1560 | 1590 | 1650 | 1710 | 1780 |
| | | AL adj. loop | - | 1580 | 1640 | 1670 | 1730 | 1790 | 1860 |

Dimensions

8

Actual dimensions will vary depending on model and options selected.

seat width: 25' seat depth: 23" back width: 22"

back height: 23"-25.5"

seat height from floor (chair): 19"-24"

Weight: approx. 49 lbs. (chair)

COM Requirements: 2 yards per chair



Mechanism Functions

Basic Task - Heavy Duty Version

(1 paddle)

Swivels 360°, pneumatic cylinder seat height adjustment, internal ratchet back height adjustment.

Multi Tilter - Heavy Duty Version


Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free

floats in unlocked position, infinite position


tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle

DA drop away

Arm Options



AL adj. loop arm



AT/AW adj. T includes height and width adjustment

Arm Pad Options

BAP Buzz arm pad

(default pad if none specified except for ATS)

BT bullet arm pad

Standard upholstered back panel. (DEFAULT)

Ballistic nylon back - recommended (no upcharge)

Bumper back trim – recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Back Panel Options

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered a 45 list upcharge applies. Refer to web site for **BP** color selections.

DEFAULT IS SB UNLESS SPECIFIED OTHERWISE

Additional Options MODEL# <u>ADD</u> CAL133 California Technical Bulletin 133 165 GLBG 45 Stationary bell glides (set of 5) HC01-HD Hard floor casters (set of 5) 75 MSLC Self-braking hard floor casters 75 brake when unoccupied (set of 5) **MSRLC** Self-braking hard floor casters 75 brake when occupied (set of 5) FR20 100 "Sure Grip" footring only SP-HD Stool package 200 (Rated for 350 lbs)

Multi Tilt w/Integrated Seat Slider - Heavy Duty Version

(4 paddles)

adjustment.

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment, side-activated sliding seat pan.

Warranty: Big & Tall Series

Standard published warranty terms and conditions apply with the following changes: 10 years on all components, 5 years on fabric and foam. If chairs are to be used for multi-shift applications which is defined as use exceeding 8 hours per day, 5 days per week, then multi-shift warranty applies: 5 years on components and 2 years on fabric and foam.

SHIPS IN 2 BOXES

| TO ORDER, please specify: | model | arm | arm pad | fabric pattern | fabric color | fabric grade | price | options/cost | total price |
|---------------------------|-------|-------|---------|----------------|--------------|--------------|-------|--------------|-------------|
| EXAMPLE | BC08 | AT/AW | BAP | DILLON | BLACK | 1 | 1455 | NO OPTION | 1455 |

FREIGHT PROGRAM

11 or fewer \$25 net per chair 12 or more **free** shipping

All prices are LIST

All prices are LICT



Heavy-duty components

Basic or full-function mechanism

• 6-prong 27" steel base

Chair or stool

Heavy-duty MSSHD casters

• CY02-SHD height cylinder

Built to last

500 lb. capacity

EOO Ib consoits

· Partial assembly required

Extended shipping time required.

*Ships in 2 boxes.

| Model | | Arm Options | Arm Pad Options | 1 | сом 2 | Upholstery Grade | | e 5 | 6 |
|-------------------------|---------------|---------------------|-------------------------|------|----------|------------------|------|--------|------|
| BC01HD | basic task | armless | (delidali pad ili bola) | 1650 | 1710 | 1740 | 1800 | 1860 | 1930 |
| <u>DOUTIND</u> | ratchet back | | | | | | | | |
| Stool package available | | DA drop away | BAP, BT | 1775 | 1835 | 1865 | 1925 | 1985 | 2055 |
| Stool pack | ige available | AT/AW adj. T | BAP , BT | 1775 | 1835 | 1865 | 1925 | 1985 | 2055 |
| | | AL adj. loop | - | 1855 | 1915 | 1945 | 2005 | 2065 | 2135 |

| | | | | | | 500 lb. ca | pacity | All pr | All prices are LIST | | |
|------|------------------------------|---------------------|-----------------------|-----------------|------|------------|--------------|--------|---------------------|--|--|
| del | | Arm Options | | Arm Pad Options | | Uph | olstery Grad | е | | | |
| 161 | | Aim Options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 | | |
| 08HD | multi tilter ratchet back | armless | - | 1785 | 1845 | 1875 | 1935 | 1995 | 2065 | | |
| | | DA drop away | BAP , BT | 1910 | 1970 | 2000 | 2060 | 2120 | 2190 | | |
| | | AT/AW adj. T | BAP, BT | 1910 | 1970 | 2000 | 2060 | 2120 | 2190 | | |
| | | AL adj. loop | - | 1990 | 2050 | 2080 | 2140 | 2200 | 2270 | | |

Most popular (recommended)

| | (************************************** | | | | | 500 lb. capacity | | | All prices are LIST | |
|---|---|---------------------|------------------------|------|------|------------------|---------------|------|---------------------|--|
| Madal | | Awa Ontions | Arm Pad Options | | СОМ | Upl | nolstery Grad | е | | |
| Model | | Arm Options | (default pad in bold) | 1 | 2 | 3 4 | | 5 | 6 | |
| BC09HD multi tilt ratchet back integrated seat slider | | armless | - | 1830 | 1890 | 1920 | 1980 | 2040 | 2110 | |
| | | DA drop away | BAP, BT | 1955 | 2015 | 2045 | 2105 | 2165 | 2235 | |
| | | AT/AW adj. T | BAP, BT | 1955 | 2015 | 2045 | 2105 | 2165 | 2235 | |
| | | AL adj. loop | - | 2035 | 2095 | 2125 | 2185 | 2245 | 2315 | |

Dimensions

Actual dimensions will vary depending on model and options selected.

seat width: 25" seat depth: 23"

back width: 22" back height: 23"-25.5" seat height from floor (chair): 19"-24"

approx. 79 lbs. heavy-duty chair

COM Requirements: 2 yards per chair

FREIGHT PROGRAM 11 or fewer \$25 net per chair 12 or more **free** shipping

Mechanism Functions

Basic Task - Heavy Duty Version

(1 paddle)

(3 paddles)

ment.

Swivels 360°, pneumatic cylinder seat height adjustment, back depth adjustment, internal ratchet back height adjustment.

Multi Tilter - Heavy Duty Version

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjust-

DA drop away

Arm Options

Arm Pad Options

BAP Buzz arm pad (default pad if none specified except for ATS)



AL adj. loop arm



BT bullet arm pad



AT/AW adj. T includes height and width adjustment

Back Panel Options

Standard upholstered back panel. (DEFAULT)

Ballistic nylon back - recommended (no upcharge)

Bumper back trim – recommended (no upcharge)

Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear

regardless of option chosen. For additional back wear protection,

BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered a 45 list upcharge applies. Refer to web site for **BP** color selections. **DEFAULT IS SB UNLESS SPECIFIED OTHERWISE**

| | Additional Options | |
|--------|--------------------------------------|------------|
| MODEL# | | <u>ADD</u> |
| CAL133 | California Technical Bulletin 133 | 165 |
| GLBG | Stationary bell glides (set of 6) | 50 |
| FR20 | "Sure Grip" footring only | 100 |
| SP-HD | Stool package (Rated for 350 lbs) | 200 |
| | | |

Multi Tilt w/Integrated Seat Slider - Heavy Duty Version

(4 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment, side activated sliding seat pan.

Warranty: Big & Tall Series

Standard published warranty terms and conditions apply with the following changes: 10 years on all components, 5 years on fabric and foam. If chairs are to be used for multi-shift applications which is defined as use exceeding 8 hours per day, 5 days per week, then multi-shift warranty applies: 5 years on components and 2 years on fabric and foam.

11

SHIPS IN 2 BOXES

| TO ORDER, please specify: | model | arm | arm pad | fabric pattern | fabric color | fabric grade | price | options/cost | total price |
|---------------------------|--------|-----|---------|----------------|--------------|--------------|-------|--------------|-------------|
| EXAMPLE | BC08HD | AL | N/A | DILLON | BLACK | 1 | 1990 | GLBG/\$50 | 2040 |



- Fully upholstered
- Black or gray frame
- Can be upholstered in many textiles
- Weight-activated body balance
- Synchro-tilt with multi-position tilt lock
- · Free floats in unlocked position
- Tilt tension adjustment (Synchro only)
- Seat slider/Ratchet back
- Adjustable lumbar support
- Multi-function arms

- Multi-surface casters
- Stock Blue or Stock Gray

| - | Multi-Surface Caster |
|---|----------------------|
| • | 300 lb capacity |
| | oc |

• Ruick Ship (Stock Black, Upholstery)

| Model | Mechanism | Frame Color | Fabric Color | List Price |
|-------------------|------------------|-------------|--------------|------------|
| BRL-BK-SYN STK BK | Synchro-Tilt | Black | Stock Black | 725 |
| BRL-BK-WAC STK BK | Weight-Activated | Black | Stock Black | 725 |



| BRL-GR-SYN STK GR | Synchro-Tilt | Gray | Stock Gray | 725 |
|-------------------|------------------|------|------------|-----|
| BRL-GR-WAC STK GR | Weight-Activated | Gray | Stock Gray | 725 |



| BRL-GR-SYN STK BE | Synchro-Tilt | Gray | Stock Blue | 725 |
|-------------------|------------------|------|------------|-----|
| BRL-GR-WAC STK BE | Weight-Activated | Gray | Stock Blue | 725 |





| | | | | | | ı y Cıc | uc | |
|------------|------------------|-------------|-----|-----|-----|---------|------|------|
| Model | Mechanism | Frame Color | 1 | 2 | 3 | 4 | 5 | 6 |
| BRL-BK-SYN | Synchro-Tilt | Black | 875 | 900 | 940 | 995 | 1050 | 1110 |
| BRL-BK-WAC | Weight-Activated | Black | 875 | 900 | 940 | 995 | 1050 | 1110 |
| BRL-GR-SYN | Synchro-Tilt | Gray | 875 | 900 | 940 | 995 | 1050 | 1110 |
| BRL-GR-WAC | Weight-Activated | Gray | 875 | 900 | 940 | 995 | 1050 | 1110 |

Dimensions:

| seat width | 20.5" |
|------------------------|--------------|
| seat depth | 19.5" - 21.5 |
| seat height from floor | 19" - 24" |

base overall

arm to arm outside 27" front to back outside 24.5"

back width widest point 19" back height overall height from floor 43" - 47"

Weight: 41 lbs 25"- 27"

Upholstery Grade

TO ORDER, please specify: model fabric pattern fabric color fabric grade price **EXAMPLE BRL-BK-SYN** Cobalt 909 850 Emerge



- Fully upholstered
- · Black or gray frame
- Can be upholstered in many textiles
- Basic task


- · Seat slider/Ratchet back
- · Height-adjustable arms
- Multi-surface casters
- 300 lb capacity • Rock Black, Stock Blue or Stock Gray

Upholstery)

| | BR |
|-----|----|
| | |
| 2 ا | |

| Model | Frame Color | Fabric Color | List Price |
|---------------------------|-------------|--------------|------------|
| BRL-BK-SP STK BK Stool | Black | Stock Black | 855 |







| BRL-GR-SP STK BE | Cray | Stock Blue | 855 |
|------------------|------|--------------|-----|
| Stool | Gray | - Stock blue | 000 |







| BRL-GR-SP Stool | Gray | 980 | 1005 | 1045 | 1100 | 1155 | 1215 |
|--------------------|------|-----|------|------|------|------|------|
| 3(00) | | | | | | | |

Dimensions:

seat width seat depth 19.5" - 21.5" seat height from floor 26" - 34"

arm to arm outside front to back outside 24.5" base overall

back width widest point back height overall height from floor Weight: 45 lbs

19" 25"- 27"

48" - 56"

TO ORDER, please specify: EXAMPLE

model BRL-BK-SP fabric pattern Emerge

fabric color Cobalt 909

fabric grade price 850

FREIGHT PROGRAM 11 or fewer \$25 net per chair 12 or more **free** shipping

CABOODLE Chair Nesting Chair With Mesh Back

Extreme comfort, quality construction, value-priced.

- · Solid overall construction
- · Arm or armless
- · Black or silver frame
- · Durable poly mesh back
- · 300 lb. capacity
- · Ships with CC02 hooded carpet casters
- · Minimum order: 2 chairs
- · Ships KD with assembly required
- Quick Ship (Stock Black Upholstery)



| Model | Frame Color | Description | Fabric Color | List |
|---------------|-------------|-------------|--------------|------|
| CA00BK STK BK | black | armless | Stock Black | 440 |
| CA00SR STK BK | silver | armless | Stock Black | 440 |
| CA10BK STK BK | black | with arms | Stock Black | 465 |
| CA10SR STK BK | silver | with arms | Stock Black | 465 |

All prices are LIST



| | | | | СОМ | Uphols | tery Gra | ade | |
|---------------|-------------|-------------|-----|-----|--------|----------|-----|-----|
| Model | Frame Color | Description | 1 | 2 | 3 | 4 | 5 | 6 |
| CA00BK | black | armless | 475 | 495 | 530 | 570 | 625 | 685 |
| <u>CA00SR</u> | silver | armless | 475 | 495 | 530 | 570 | 625 | 685 |
| CA10BK | black | with arms | 500 | 520 | 555 | 595 | 650 | 710 |
| CA10SR | silver | with arms | 500 | 520 | 555 | 595 | 650 | 710 |



Ships with CC02 hooded carpet casters

| Additional Option | | | | | | | | |
|-------------------|--|------------|--|--|--|--|--|--|
| MODEL# | | <u>ADD</u> | | | | | | |
| HC02 | Black hooded hard-floor casters (set of 4) | 45 | | | | | | |

Dimensions

Actual dimensions will vary depending on model and options selected.

seat width: 18.5" back width: 18.25" overall outside width: 22.75" armless overall outside depth: 24" seat height from floor: 19" seat depth: 18" back height: 17" overall outside width: 24.75" with arms overall outside height: 34" overall height at arm: 25.25"

Weight

CA00 (armless): 18 lbs. CA

CA10 (with arms): 21 lbs.

| TO ORDER, please specify: | model | fabric pattern | fabric color | fabric grade | price | options/cost | total price |
|---------------------------|--------|----------------|--------------|--------------|-------|--------------|-------------|
| EXAMPLE | CA00BK | ANCHORAGE | ONYX2016 | 1 | 475 | HC02/\$45 | 520 |





List Price

725

725

- · Mesh back/Upholstered seat
- Can be upholstered in many textiles
- Black or gray frame
- · Weight-activated body balance mechanism or Synchro-tilt mechanism
- · Multi-position tilt lock
- · Free floats in unlocked position
- Tilt tension adjustment (Synchro only)
- Seat slider/Ratchet back

- · Multi-function 4D arms
- Multi-surface casters
- 300 lb capacity
- Charcoal Gray Upholtery)

| Model | Mechanism | Frame Color | Mesh Color | Fabric Color |
|---------------------------|------------------|----------------|---------------|---------------------------|
| CLOUD CHAIR-BK-SYN STK GR | Synchro-Tilt | Black | Black | Stock Charcoal Gray |
| CLOUD CHAIR-BK-WAC STK GR | Weight-Activated | Black | Black | Stock Charcoal Gray |



| | | | | · | |
|---------------------------|------------------|------|------|---------------------------|-----|
| CLOUD CHAIR-GR-SYN STK GR | Synchro-Tilt | Gray | Gray | Stock Charcoal Gray | 725 |
| CLOUD CHAIR-GR-WAC STK GR | Weight-Activated | Gray | Gray | Stock Charcoal Gray | 725 |

All prices are LIST

<u>ADD</u>

45 45



| | | Frame | Mesh | Upholstery Grade | | | | | |
|--------------------|------------------|-------|-------|------------------|-----|-----|-----|-----|------|
| Model | Mechanism | Color | Color | 1 | 2 | 3 | 4 | 5 | 6 |
| CLOUD CHAIR-BK-SYN | Synchro-Tilt | Black | Black | 835 | 855 | 885 | 920 | 975 | 1035 |
| CLOUD CHAIR-BK-WAC | Weight-Activated | Black | Black | 835 | 855 | 885 | 920 | 975 | 1035 |



| CLOUD CHAIR-GR-SYN | Synchro-Tilt | Gray | Gray | 835 | 855 | 885 | 920 | 975 | 1035 |
|--------------------|------------------|------|------|-----|-----|-----|-----|-----|------|
| CLOUD CHAIR-GR-WAC | Weight-Activated | Gray | Gray | 835 | 855 | 885 | 920 | 975 | 1035 |

Mesh Colors Stock Grav Seat Fabric



20.5"

19.5" - 21.5"





| Jiay | Seat I | abilic |
|------|--------|--------|
| | | |
| | | |

| | 7 | |
|--|---|--|
| | | |
| | | |

| rm to arm outside | 27" |
|---------------------|-------|
| ont to back outside | 24.5" |
| ase overall | 27" |
| | |

back width widest point 21" back height overall height from floor 43" - 47"

MODEL#

HC11-BK

HC11-GR

Weight: 41 lbs 25"- 27"

Ships with CC07 non-hooded carpet casters and CY08 height cylinder

Additional Options

Black hard floor casters (set of 5)

Gray hard floor casters (set of 5)

TO ORDER, please specify: fabric pattern total price model fabric color fabric grade price **EXAMPLE** CLOUD CHAIR-BK-SYN MOGULS HC11-BK/\$45 880



Dimensions:

seat height from floor

seat width

seat depth



Mesh back/Upholstered seat

Can be upholstered in many textiles

Cloud Stool Mesh Back / Upholstered Seat

Black or gray frame

- Basic task non-tilting mechanism
- · Seat slider
- Height-adjustable arms

300 lb capacity

• Ruick Ship (Stock Charcoal Gray Upholstery)



| Model | Frame Color | Mesh Color | Fabric Color | List Price |
|-----------------------------------|-------------|------------|---------------------------|------------|
| CLOUD CHAIR-BK-SP STK GR Stool | Black | Black | Stock Charcoal Gray | 855 |



Stock **CLOUD CHAIR-GR-SP STK GR** Charcoal Gray 855 Gray Stool Gray









Stock Gray Seat Fabric



Ships with CC07 non-hooded carpet casters

| | Additional Options | |
|---------|-------------------------------------|-----|
| MODEL# | | ADD |
| HC11-BK | Black hard floor casters (set of 5) | 45 |
| HC11-GR | Gray hard floor casters (set of 5) | 45 |

| Dimensions |
|-------------------|
| aget width |

20.5" 19.5" - 21.5" seat depth seat height from floor 26" - 34"

Black

Gray

arm to arm outside front to back outside 24.5" base overall

back width widest point back height overall height from floor 48" - 56"

Weight: 45 lbs

| TO ORDER, please specify: | model | fabric pattern | fabric color | fabric grade | price | options/cost | total price |
|---------------------------|-------------------|----------------|--------------|--------------|-------|--------------|-------------|
| EXAMPLE | CLOUD CHAIR-BK-SP | MOGULS | ONYX2199 | 1 | 940 | HC11-BK/\$45 | 985 |





List

1095

- · Upholstered seat and black mesh back
- · Simple synchro tilt
- · Tilt tension adjustment
- Height-adjustable arms
- · Ships with CC07 hooded carpet casters
- 300 lb.capacity

- Ships KD with assembly required
 - Quick Ship



Fabric Color List Stock Black **DANDY STK BLK** 605



Ships with CC07 hooded carpet casters

| | Additional Option | |
|--------|--------------------------------------|------------|
| MODEL# | | <u>ADD</u> |
| HC07 | Hooded hard-floor casters (set of 5) | 45 |

Dimensions

Actual dimensions will vary depending on model and options selected.

seat width: 21" seat depth: 20.5"

back width: 19.5" back height: 20"

seat height from floor: 18"-22"

TO ORDER, please specify: EXAMPLE

model **DANDY STK BLK**

options HC07

price 650

Weight: 34 lbs.

FREIGHT PROGRAM 11 or fewer \$25 net per chair 12 or more **free** shipping



- · Polished aluminum back uprights
- Polished aluminum base
- Synchro-tilt with 4-position lock
- Free floats in unlocked position
- Tilt tension adjustment
- Seat slider
- Adjustable lumbar support
- · Non-hooded carpet casters
- 300 lb. capacity
- · Ships KD with assembly required
- Ruick Ship (Stock Black Fabric and Leather Upholstery)




Leather Seat/ Leather Back

| | Model | | Description | List |
|--------|-------|----------|-----------------------------|------|
| DAP-BL | | ₹ | Black leather seat and back | 1375 |

Upholstered Seat / Mesh Back







Optional Headrest

| | Additional Options | |
|----------|-------------------------------|------------|
| MODEL# | | <u>ADD</u> |
| DAPHR-GR | Adj. headrest gray mesh | 130 |
| DAPHR-BL | Adj. headrest black leather | 130 |
| HC07 | Hard floor casters (set of 5) | 45 |

Weight: 52 lbs

Dimensions

Gray Mesh Back Stock Black Seat

Actual dimensions will vary depending on model and options selected.

seat width: 19.5" base: 27" back width: back height: 24" seat height from floor: 20.5" - 24.5" arm to arm width (outside): 28" arm to arm width (inside): 21"

COM Requirement: 1 yard per chair

TO ORDER, please specify: model fabric pattern fabric color fabric grade price options/cost total price **EXAMPLE** DAP-FAB **MOGULS** ONYX2199 1150 HC07/\$45 1195



FLITE 2.0 Chair Stacking Chair





- Stackable
- · Arms or armless
- · Glides or casters
- · Black frame
- · Can be upholstered in many textiles

Quick Ship Upholstery Options

- Stock Black
- Stock Blue
- Stock Red
- Black PU (bleach-cleanable)



| | | 500 lb. Capacity All prices are LIST | | | | | | |
|-----------|-------------------|--------------------------------------|------------------------|-----|-----|-----|-----|-----|
| | | Quick | Quick Upholstery Grade | | | | ; | |
| Model | Description | Ship | 1 | 2 | 3 | 4 | 5 | 6 |
| FL2.00-GL | Glides Armless | 380 | 440 | 465 | 490 | 525 | 575 | 625 |



500 lb. Capacity All prices are LIST

| | | Quick | | | Upholste | ry Grade | | |
|-----------|---------------------|-------|-----|-----|----------|----------|-----|-----|
| Model | Description | Ship | 1 | 2 | 3 | 4 | 5 | 6 |
| FL2.10-GL | Glides With Arms | 395 | 455 | 480 | 505 | 540 | 590 | 640 |



350 lb. Capacity All prices are LIST

| | | Quick | | | Upholste | ry Grade | | |
|------------|--------------------------------|-------|-----|-----|----------|----------|-----|-----|
| Model | Description | Ship | 1 | 2 | 3 | 4 | 5 | 6 |
| FL2.00-ASC | All-Surface Casters Armless | 380 | 440 | 465 | 490 | 525 | 575 | 625 |



350 lb. Capacity

All prices are LIST

| | | Quick | | | Upholste | ry Grade | | |
|------------|----------------------------------|-------|-----|-----|----------|----------|-----|-----|
| Model | Description | Ship | 1 | 2 | 3 | 4 | 5 | 6 |
| FL2.10-ASC | All-Surface Casters With Arms | 395 | 455 | 480 | 505 | 540 | 590 | 640 |

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 19"

seat depth 20"

seat height from floor . 18"

Weight: 18 lbs. back width 19.5" back height 18"

overall outside width 21.5" armless overall outside width 23.5" with arms 22.5"

overall outside depth overall outside height

COM Requirements: 1.25 yards per chair

TO ORDER, please specify: **EXAMPLE**

model FL2.10 options N/A

fabric pattern Challenger

fabric color Price 903 Fog 480



- · 2.5" back-height adjustment
- 16" diameter seat
- Dual seat-height adjustment handles
- · Self-pivoting spring back
- Coordinating colors: back bar, control and handles, base and casters
- 300 lb. capacity
- Partial assembly required

All prices are LIST



| | | Seat | | Upholstery Grade | | | | |
|------------|---------------------------------|--------|-----|------------------|-----|-----|-----|-----|
| Model | Description | Height | 1 | 2 | 3 | 4 | 5 | 6 |
| MDS26 | Basic unit, 22" base | 18-23" | 370 | 400 | 440 | 490 | 550 | 580 |
| MDS26-CY04 | Stool height, 24" base | 21-29" | 420 | 450 | 490 | 540 | 600 | 630 |
| MDS26-CY05 | Extended stool height, 24" base | 24-34" | 445 | 475 | 515 | 565 | 625 | 655 |



| MDS36 | Basic unit, 24" base | 18-23" | 545 | 585 | 630 | 680 | 740 | 770 |
|------------|---------------------------------|--------|-----|-----|-----|-----|-----|-----|
| MDS36-CY04 | Stool height, 24" base | 21-29" | 595 | 635 | 680 | 730 | 790 | 820 |
| MDS36-CY05 | Extended stool height, 24" base | 24-34" | 620 | 660 | 705 | 755 | 815 | 845 |



Stool Package With Back and Footring

| MDS36-SP | Stool package with 8" height cylinder, 20" adjustable footring, and 24" base | 21-29" | 690 | 730 | 775 | 825 | 885 | 915 |
|-----------|--|--------|-----|-----|-----|-----|-----|-----|
| MDS36-XSP | Extended stool package with 10" height cylinder, 20" adjustable footring, and 24" base | 24-34" | 725 | 765 | 810 | 860 | 920 | 950 |



Medical Stool With Abdominal Support Arm

20

| MDS16 | Basic unit, 24" base | 17-22" | 795 | 825 | 865 | 915 | 975 | 1005 |
|------------|------------------------|--------|-----|-----|-----|-----|------|------|
| MDS16-CY04 | Stool height, 24" base | 20-28" | 840 | 870 | 910 | 165 | 1020 | 1050 |







2.5" back-height adjustment

Base Color Options

REQUIRED Specify color:

Black: Black base, casters, mechanism and cylinder

Light Gray: Light Gray base, casters, and mechanism; chrome cylinder *Dark Gray: Dark Gray base, casters, and mechanism; chrome cylinder *Sand: Sand base, casters, and mechanism; chrome cylinder

* Limited stock - discontinuing. Call customer service.



Not available on MDS16

Light Gray



Dark Gray*

Dimensions

Actual dimensions will vary depending on model and options selected. back width: 15.5" back height: 16 -18.5" seat width: 16"

Ships with matching color **HC01** soft wheel hard floor casters.

| Additional Options | | | | | | | |
|--------------------|--|------------|--|--|--|--|--|
| MODEL# | | <u>ADD</u> | | | | | |
| CAL133 | California Technical Bulletin 133 Seat Unit Seat and Back Unit | 80 160 | | | | | |
| BASE22-A | Medical aluminum base (not available on stools) | 130 | | | | | |
| сссн | Chrome hooded carpet casters (set of 5) | 50 | | | | | |
| нссн | Chrome hooded hard floor casters (set of 5) | 50 | | | | | |
| CC01 | Carpet casters-black only (set of 5) | N/C | | | | | |
| FR20 | Sure Grip Footring 20" | 100 | | | | | |

| | Back Panel Options | | | | | |
|--|--|-----|--|--|--|--|
| MODEL# | | ADD | | | | |
| SB | Standard upholstered back panel (DEFAULT) | N/C | | | | |
| вв | Ballistic nylon back - recommended | N/C | | | | |
| ВР | Bumper back trim - recommended Choose from 6 colors | N/C | | | | |
| BB + BP | Ballistic nylon back and bumper back trim | 50 | | | | |
| Buzz Seating is not responsibe for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additinoal upcharge. If both options are ordered a 45 list upcharge applies. **DEFAULT IS SB UNLESS SPECIFIED OTHERWISE** | | | | | | |
| DEFAULT IS S | ONLESS SPECIFIED OTHERWIS | L | | | | |

Bumper Trim Color Options


Ships with black bumper trim unless another color is specified. Buzz Seating is not responsible for back panel wear or tear.

Burgundy

BP01

Navy

BP04



| O ORDER, please specify: | model | base color | back panel option | bumper trim color | fabric pattern | fabric color | fabric grade | price | options/cost | total price |
|--------------------------|-------|------------|-------------------|-------------------|-------------------|-----------------|-----------------|-------|--------------|-------------|
| EXAMPLE | MDS26 | BLACK | ВР | BP01 | Dillon | Bordeaux | 1 | 370 | CCCH/\$50 | 420 |

JEMChair

The chair that sits like a gem

- 1" oval steel frame tubing for added strength
- Arms or armless
- · Black or gray frame
- Black or gray arms
- Stackable 3 high

- Full-sized back
- Compound double-curved back for extreme comfort
- Optional casters
- · Waterfall seat front

Additional Options

CAL133 California Technical Bulletin 133

(350 lb. capacity)

(350 lb. capacity)

1" Extra seat foam

Black carpet casters (set of 4)

Black hard floor casters (set of 4)

Adjustable width ganging brackets 35 / pair

Chrome and custom color frame finishes

available. Minimum order quantity and

Customer Service for further information.

extended lead time applies. Contact

Back Panel Options

SB Standard upholstered back panel. (DEFAULT)

Ballistic nylon back - recommended (no

Buzz Seating is not responsible for back panel wear

back wear protection, **BB** is recommended. **BP** is not

or tear regardless of option chosen. For additional

- · 750 lb. capacity

All prices are LIST



| | - France | | | СОМ | Upholstery Grade | | | | |
|---------|----------------|---------|-----|-----|------------------|-----|-----|-----|--|
| Model | Frame Color | Arm | 1 | 2 | 3 | 4 | 5 | 6 | |
| JEM00BK | black | armless | 530 | 570 | 600 | 650 | 710 | 770 | |
| JEM00GR | gray | armless | 530 | 570 | 600 | 650 | 710 | 770 | |



| | - | | | СОМ | Upholstery Grade | | | | |
|---------|----------------|-----------------------------|-----|-----|------------------|-----|-----|-----|--|
| Model | Frame Color | Arm* (Specify Arm Color) | 1 | 2 | 3 | 4 | 5 | 6 | |
| JEM10BK | black | arm BK or arm GR | 595 | 635 | 665 | 715 | 775 | 835 | |
| JEM10GR | gray | arm BK or arm GR | 595 | 635 | 665 | 715 | 775 | 835 | |

*Unless otherwise specified on your order, black arms are the default.

MODEL#

CC09

HC09





Adjustable Width **Ganging Brackets**





Shown with CC09 carpet casters (not stackable)

Polyurethane Version Extended lead time

· Minimum order quantity

DILLON

- · Grade 4 pricing

Dimensions

Actual dimensions will vary depending on model and options selected.

JEM10BK

| seat width: | 19.5" | |
|--------------|-------|--|
| seat depth: | 18.5" | |
| back width: | 19.5" | |
| back height: | 16" | |

TO ORDER, please specify:

EXAMPLE

| 9 1 | |
|---|---------------|
| overall outside width: overall outside width: overall outside height: | 25" with arms |
| | |

arm BK

| overall outside depth: | 24" |
|------------------------|-------|
| overall height at arm: | 27" |
| eat height from floor: | 17.5" |
| | |

BLACK

| utside depth: | 24" |
|----------------|-------|
| neight at arm: | 27" |
| ht from floor: | 17.5" |
| | |

fabric grade

upcharge)

available on Jem chairs.

Weight: 18 lbs. armless COM Requirements: 1.25 yards per chair

595



21 lbs. with arms

FREIGHT PROGRAM 1 or fewer \$25 net per chair 12 or more **free** shipping

Wall-Saver legs

- Nylon black glides (standard)
- Ships fully assembled

<u>ADD</u>

130

45

45

50

• 1" oval steel frame tubing for added strength

- Arms or armless
- · Black or gray frame
- · Black or gray arms
- · Stackable 3 high

JEM®+3Chair

- · Full-sized back
- Compound double-curved back
- for extreme comfort
- Optional casters

Side Chair - Heavy Duty - 3" Wider

The chair that sits like a gem

· Waterfall seat front

Wall-Saver legs

Additional Options

CAL133 California Technical Bulletin 133

(350 lb. capacity)

(350 lb. capacity)

1" Extra seat foam

Black carpet casters (set of 4)

Black hard floor casters (set of 4)

Adjustable width ganging brackets

available. Minimum order quantity and

Customer Service for further information.

extended lead time applies. Contact

Back Panel Options

SB Standard upholstered back panel. (DEFAULT)

Buzz Seating is not responsible for back panel wear

back wear protection, **BB** is recommended. **BP** is not

or tear regardless of option chosen. For additional

BB Ballistic nylon back – recommended (no

CF/CFC Chrome and custom color frame finishes

- Nylon black glides (standard)
- 750 lb. capacity
- Ships fully assembled

All prices are LIST

<u>ADD</u>

165

45

45

65

35 / pair



| | _ | | СОМ | | | Upholstery Grade | | | | |
|----------------------|-------|---------|-----|-----|-----|------------------|-----|------|--|--|
| Model Frame Color | | Arm | 1 | 2 | 3 | 4 | 5 | 6 | | |
| JEM00+3BK | black | armless | 730 | 780 | 820 | 880 | 950 | 1020 | | |
| JEM00+3GR | gray | armless | 730 | 780 | 820 | 880 | 950 | 1020 | | |



| | _ | | | СОМ | Uphols | | | |
|-----------|----------------|-----------------------------|-----|-----|--------|-----|------|------|
| Model | Frame Color | Arm* (Specify Arm Color) | 1 | 2 | 3 | 4 | 5 | 6 |
| JEM10+3BK | black | arm BK or arm GR | 795 | 845 | 885 | 945 | 1005 | 1075 |
| JEM10+3GR | JEM10+3GR gray | | 795 | 845 | 885 | 945 | 1005 | 1075 |

*Unless otherwise specified on your order, black arms are the default.

MODEL#

CC09







Shown with CC09 carpet casters (not stackable)

armless

with arms

Dimensions

Actual dimensions will vary depending on model and options selected.

| seat width: | 22.5" | overall outside width: | 24.5" |
|--------------|-------|-------------------------|-------|
| seat depth: | 18.5" | overall outside width: | 28" |
| back width: | 22.5" | overall outside height: | 33.5" |
| back height: | 16" | | |

| overall outside depth: | 24" |
|-------------------------|------|
| overall height at arm: | 27" |
| seat height from floor: | 17.5 |

| | 27" | rall height at arm: |
|-------------------|-------|---------------------|
| COM Requirements: | 17.5" | height from floor: |
| | | |

upcharge)

available on Jem chairs.

| TO ORDER, please specify: | model | arm color | back panel | fabric pattern | fabric color | fabric grade | price | options/cost | total price | |
|---------------------------|-----------|-----------|------------|----------------|--------------|--------------|-------|--------------|-------------|--|
| EXAMPLE | JEM10+3BK | arm BK | ВВ | DILLON | BLACK | 1 | 795 | EF/\$65 | 860 | |





Weight: 24 lbs. armless

28 lbs. with arms

2.25 yards per chair

The chair that sits like a gem

- 1" oval steel frame tubing for added strength
- Arms or armless
- · Black or gray frame
- · Black or gray arms

- · Full-sized back
- Compound double-curved back
- for extreme comfort
- · Waterfall seat front

- Wall-Saver legs
- · Nylon black glides
- 750 lb. capacity
- Ships fully assembled



| | _ | | | СОМ | Uphols | stery Gra | ide | |
|-----------|----------------|---------|-----|-----|--------|-----------|------|------|
| Model | Frame Color | Arm | 1 | 2 | 3 | 4 | 5 | 6 |
| JEM00+6BK | black | armless | 850 | 920 | 970 | 1040 | 1110 | 1180 |
| JEM00+6GR | gray | armless | 850 | 920 | 970 | 1040 | 1110 | 1180 |

All prices are LIST


All prices are LIST



| | | | | СОМ | Uphols | tery Gra | ide | |
|------------------|----------------|-----------------------------|-----|-----|--------|----------|------|------|
| Model | Frame Color | Arm* (Specify Arm Color) | 1 | 2 | 3 | 4 | 5 | 6 |
| <u>JEM10+6BK</u> | black | arm BK or arm GR | 915 | 985 | 1015 | 1085 | 1185 | 1215 |
| JEM10+6GR | gray | arm BK or arm GR | 915 | 985 | 1015 | 1085 | 1185 | 1215 |

*Unless otherwise specified on your order, black arms are the default.





| Additional Options | | | | | | | |
|--------------------|--|------------|--|--|--|--|--|
| MODEL | <u>.#</u> | <u>ADD</u> | | | | | |
| CAL133 | California Technical Bulletin 133 | 185 | | | | | |
| EF | 1" Extra seat foam | 80 | | | | | |
| GB | Adjustable width ganging brackets | 35 / pair | | | | | |
| CF/CFC | Chrome and custom color frame fir available. Minimum order quantity a extended lead time applies. Contact Customer Service for further inform | and ct | | | | | |

Back Panel Options

SB Standard upholstered back panel. (DEFAULT)

BB Ballistic nylon back – recommended (no upcharge)

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB is recommended. BP is not available on Jem chairs.

Dimensions

Actual dimensions will vary depending on model and options selected

| seat width: | 25.5" | overall outside width: | 27.5" armle |
|--------------|-------|-------------------------|-------------|
| seat depth: | 18.5" | overall outside width: | 31" with a |
| back width: | 25.5" | overall outside height: | 33.5" |
| back height: | 16" | | |

| : | 18.5" | overall outside width: | 31" with arms |
|---|-------|-------------------------|---------------|
| : | 25.5" | overall outside height: | 33.5" |
| : | 16" | | |
| | | | |

overall outside depth: 24" overall height at arm: 27" seat height from floor: 17.5"

34 lbs. with arms COM Requirements: 3 yards per chair

| TO ORDER, please specify: | model | arm color | back panel | fabric pattern | fabric color | fabric grade | price | options/cost |
|---------------------------|-----------|-----------|------------|----------------|--------------|--------------|-------|--------------|
| EXAMPLE | JEM10+6BK | arm BK | ВВ | DILLON | BLACK | 1 | 915 | EF/\$80 |
| | | | | | | | | |

GSA Contract Holder



Weight: 30 lbs. armless

total price

• 1" oval steel frame tubing for added strength

JEM27S00BK

JEM27S00GR

JEM® COUNTER STOOL

- Arms or armless
- Black or gray frame
- Black or gray arms
- · Full-sized back

- Compound double-curved back for extreme comfort
- · Waterfall seat front
- · Wall-Saver legs

- · Soft black multi-surface glides (standard)
- 350 lb. capacity
- · Ships fully assembled

All prices are LIST



24" seat height

| | - | | | СОМ | Uphols | tery Gra | ide | |
|------------|----------------|-----------------------------|-----|-----|--------|----------|-----|-----|
| Model | Frame Color | Arm* (Specify Arm Color) | 1 | 2 | 3 | 4 | 5 | 6 |
| JEM24S00BK | black | armless | 650 | 690 | 720 | 770 | 830 | 890 |
| JEM24S00GR | gray | armless | 650 | 690 | 720 | 770 | 830 | 890 |
| JEM24S10BK | black | arm BK or arm GR | 715 | 755 | 785 | 835 | 895 | 955 |
| JEM24S10GR | gray | arm BK or arm GR | 715 | 755 | 785 | 835 | 895 | 955 |

650

650

690

690

755

755

720

720

785

785

770

770

835

835

830

830

895

895

890


890

955

955



27" seat height Use for work surfaces up to 36" high



black

gray

| able Width |
|------------|

armless

armless

| Additional Options | | | | | | |
|---------------------------|---|-----------|--|--|--|--|
| MODEL | <u>.#</u> | ADD | | | | |
| CAL133 | California Technical Bulletin 133 | 130 | | | | |
| EF | 1" Extra seat foam | 50 | | | | |
| GB | Adjustable width ganging brackets | 35 / pair | | | | |
| CF/CFC | Chrome and custom color frame fir available. Minimum order quantity extended lead time applies. Contac Customer Service for further inform | and ct | | | | |

Back Panel Options

SB Standard upholstered back panel. (DEFAULT)

BB Ballistic nylon back – recommended (no upcharge)

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB is recommended. BP is not available on Jem chairs.

Actual dimensions will vary depending on model and options selected.

| seat width: | 19.5" | overall outside width: | 21.5" armless |
|--------------|-------|-------------------------|---------------|
| seat depth: | 18.5" | overall outside width: | 25" with arms |
| back width: | 19.5" | overall outside height: | 40" JEM24S |
| back height: | 16" | overall outside height: | 43" JEM27S |
| | | | |

| oronan oatolao main | | |
|-------------------------|-----|--------|
| overall outside height: | 40" | JEM24S |
| overall outside height: | 43" | JEM27S |
| | | |

1" Extra Seat Foam

| overall outside depth: | 24" | |
|-------------------------|-----|---|
| overall height at arm: | 27" | |
| seat height from floor: | 24" | J |
| | ~=" | |

| overali neigni at ann. | 21 | | |
|-------------------------|-----|--------|--|
| seat height from floor: | 24" | JEM24S | |
| seat height from floor: | 27" | JEM27S | |
| | | | |

| | 27 lbs. JEM27S |
|-------------------|----------------------|
| COM Requirements: | 1.25 yards per chair |

Weight: 25 lbs. JEM24S

| TO ORDER, please specify: | model | arm color | back panel | fabric pattern | fabric color | fabric grade | price | options/cost | total price |
|---------------------------|-----------|-----------|------------|----------------|--------------|--------------|-------|--------------|-------------|
| EXAMPLE | JEM2410BK | arm BK | ВВ | DILLON | BLACK | 1 | 715 | EF/\$50 | 765 |





- 1" oval steel frame tubing for added strength
- Arms or armless
- · Black or gray frame
- · Black or gray arms
- Full-sized back

- Compound double-curved back for extreme comfort
- Waterfall seat front
- Wall-Saver legs

- Soft black multi-surface glides (standard)
- 350 lb. capacity
- Ships fully assembled

All prices are LIST



30" seat height
Use for work surfaces
up to 42" high

| | _ | | | СОМ | Uphols | stery Gra | ide | |
|------------|----------------|-----------------------------|-----|-----|--------|-----------|-----|-----|
| Model | Frame Color | Arm* (Specify Arm Color) | 1 | 2 | 3 | 4 | 5 | 6 |
| JEM30S00BK | black | armless | 650 | 690 | 720 | 770 | 830 | 890 |
| JEM30S00GR | gray | armless | 650 | 690 | 720 | 770 | 830 | 890 |
| JEM30S10BK | black | arm BK or arm GR | 715 | 755 | 785 | 835 | 895 | 955 |
| JEM30S10GR | gray | arm BK or arm GR | 715 | 755 | 785 | 835 | 895 | 955 |

*Unless otherwise specified on your order, black arms are the default.





Ganging Brackets

| | Additional Options | |
|--------|---|------------|
| MODEL | <u>_#</u> | <u>ADD</u> |
| CAL133 | California Technical Bulletin 133 | 130 |
| EF | 1" Extra seat foam | 50 |
| GB | Adjustable width ganging brackets | 35 / pair |
| CF/CFC | Chrome and custom color frame fir available. Minimum order quantity a extended lead time applies. Contac Customer Service for further inform | and ct |

Back Panel Options

SB Standard upholstered back panel. (DEFAULT)

Ballistic nylon back – recommended (no upcharge)

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, **BB** is recommended. **BP** is not available on Jem chairs.

Dimensions

Actual dimensions will vary depending on model and options selected.

| seat width: | 19.5" | overall outside width: | 21.5" armless | overall outside depth: | 24" |
|--------------|-------|-------------------------|---------------|-------------------------|-----|
| seat depth: | 18.5" | overall outside width: | 25" with arms | overall height at arm: | 27" |
| back width: | 19.5" | overall outside height: | 46" | seat height from floor: | 30" |
| back height: | 16" | | | | |

Weight: 30 lbs.

COM Requirements: 1.25 yards per chair

| TO ORDER, please specify: | model | arm color | back panel | fabric pattern | fabric color | fabric grade | price | options/cost | total price |
|---------------------------|-----------|-----------|------------|----------------|--------------|--------------|-------|--------------|-------------|
| EXAMPLE | JEM3010BK | arm BK | ВВ | DILLON | BLACK | 1 | 715 | EF/\$50 | 765 |





- Black frame
- 7 colors available
- Simple mechanism

· Mesh back/fabric seat

KEENChair® All-Purpose Chair

- · Height-adjustable
- Locks in the upright position or can revert to a passive movement
- Easy no-tools-required assembly
- Ships with arms and mechanism attached
- Non-hooded all-purpose casters
- 300 lb. capacity
- Quick Ship

arm to arm outside: 22.5"

front to back outside: 22.5"

| Model | Fabric Color | List |
|----------------|--------------|------|
| <u>KEEN-BK</u> | Black | 575 |
| <u>KEEN-GR</u> | Gray | 575 |
| KEEN-BE | Blue | 575 |
| <u>KEEN-RD</u> | Red | 575 |
| <u>KEEN-AP</u> | Green | 575 |
| <u>KEEN-OR</u> | Orange | 575 |
| KEEN-YW | Yellow | 575 |

Dimensions

Actual dimensions will vary depending on model and options selected.

seat width:19"back width:18.5"base overall:25"seat depth:19"back height:17.25"seat height from floor:17" - 22"

TO ORDER, please specify: model fabric color price

EXAMPLE KEEN-BK STOCK BLACK 575



Weight: 24 lbs

New!



LOD176BK \$1,390 List

New!



LOD105BK \$1,105 List





\$1,595 List



LOD20BK BLACK **LOD20TP** TAUPE **LOD20BN** BROWN \$795 List

New!



LOD177BK \$1,495 List





LOD108BK \$1,195 List



LOD148BK \$1,450 List



LOD28BK BLACK **LOD28TP** TAUPE **LOD28BN** BROWN \$995 List

New!



LOD90BK \$1,050 List



LOD118BK \$1,270 List

New!







LOD45BK BLACK **LOD45GR2T** GRAY TWO-TONE **LOD45LA2T** LATTE TWO-TONE \$1,135 List



LOD98BK \$1,245 List

New!



LOD128BK \$1,270 List







LOD48BK BLACK **LOD48GR2T** GRAY TWO-TONE **LOD48LA2T** LATTE TWO-TONE \$1,240 List



LOD65BK BLACK (Black Only) **LOD65BN BROWN** \$1,150 List



LOD68BK BLACK LOD68BN BROWN \$1,230 List



LOD50BK BLACK \$895 List



LOD55BK BLACK \$895 List



LOD58BK BLACK \$1,015 List



LOD75BK BLACK **LOD75GR** GRAY \$1,150 List



LOD78BK BLACK LOD78GR GRAY \$1,230 List



LOD85BK BLACK LOD85BN BROWN **LOD85AL** ALMOND **LOD85WH** WHITE \$1,310 List



LOD88BK BLACK **LOD88BN** BROWN **LOD88AL** ALMOND **LOD88WH** WHITE \$1,435 List









\$1,290 List







\$1,495 List



Ships KD with assembly required. **Note:** Ships with all purpose casters.



LINEUP Chair

Nesting Chair With Mesh Back


Extreme comfort, quality construction, value-priced

- · Mesh back, upholstered seat
- · Designed with a flair
- · Interchangeable arm or armless
- Black or gray, complete look
- · Seat can be upholstered in a variety of textiles
- Pivoting mesh back
- Minimal assembly required
- 300 lb. capacity

gray

· Minimum order: 2 chairs

• Ruick Ship (Stock Black or Stock Gray Upholstery)





| Model | Frame Color | Mesh Color | Fabric Color | List |
|----------------|----------------|---------------|--------------|------|
| LNUP-BK STK BK | black | black | Stock Black | 480 |

LNUP-GR STK GR

gray



Stock Gray 480

All prices are LIST

| Ships with arms and | |
|----------------------------|-----|
| interchangeable armless ca | aps |



| Model | Frame | Mesh | | COM | Uphols | tery Gra | ade | |
|----------------|-------|-------|-----|----------|--------|----------|-----|-----|
| Model | Color | Color | 1 | COM 2 | 3 | 4 | 5 | 6 |
| <u>LNUP-BK</u> | black | black | 510 | 535 | 565 | 600 | 655 | 710 |
| LNUP-GR | gray | gray | 510 | 535 | 565 | 600 | 655 | 710 |

Approved Grade 1 Upholsteries Click Below To View Swatches

Additional upholsteries require approval. Contact customer service for details.




Add 15" for each additional chair

•

Anchorage/Open House



Moguls



Dillon Polyurethane

Dimensions

seat width: 20.625" seat depth: 18.5"

back width: 19.625" back height: 17"

arm to arm outside: 22.5" front to back outside: 22"

seat height from floor: 18" overall height from floor: 34.5" base overall: 17"

Weight: 24 lbs.

TO ORDER, please specify: model fabric pattern fabric color fabric grade price **EXAMPLE** LNUP-BK **ANCHORAGE** ONYX2016 510

- 7/8" steel frame
- 14-gauge steel
- · Arm or armless
- · Black frame

- Stackable
- Durable mesh back
- · Deep waterfall front seat edge
- · Multiple mesh colors
- · 300 lb. capacity
- · Ships fully assembled

All prices are LIST

All prices are LIST

<u>ADD</u>

75

75

75

Black

| Madal | Eromo Color | December 1 and | | СОМ | Upholstery Grade | | | |
|--------|-------------|----------------|-----|-----|------------------|-----|-----|-----|
| Model | Frame Color | Description | 1 | 2 | 3 | 4 | 5 | 6 |
| ME00BK | black | armless | 455 | 485 | 515 | 570 | 625 | 670 |



| | | | | | | | • | | |
|--------|-------------|-------------|-----|----------|-----|---------------|----------|-----|---|
| Model | Frame Color | Description | 1 | COM 2 | | stery Gr 4 | ade 5 | 6 | |
| ME10BK | black | with arms | 520 | 550 | 580 | 635 | 690 | 735 | Ī |

MODEL#

MM001


MM003

MM005

MM000



| Additional Options | | | | | | |
|---------------------------|--|------------|--|--|--|--|
| MODEL | <u>.#</u> | <u>ADD</u> | | | | |
| CAL133 | California Technical Bulletin 133 | 100 | | | | |
| CC09 | Black carpet casters (set of 4) | 45 | | | | |
| HC09 | Black hard floor casters (set of 4) | 45 | | | | |
| GB | Adjustable width ganging brackets | 35 / pair | | | | |
| CF/CFC | Chrome and custom color frame fin available. Minimum order quantity a extended lead time applies. Contact Customer Service for further inform | ind t | | | | |



| Adjustable M | : -141- |
|--------------|---------|

| Actual dimensions will vary depending on model and options selected. | | | | | | |
|--|-------|-------------------------|-----|--|--|--|
| seat width: | 18" | overall outside width: | 18. | | | |
| seat depth: | 18.5" | overall outside width: | 22. | | | |
| back width: | 17.5" | overall outside depth: | 24" | | | |
| back height: | 17" | overall outside height: | 33. | | | |
| arm height: | 25.5" | seat height from floor: | 18" | | | |
| | | | | | | |

overall outside width: 18.5" armless overall outside width: 22.25" with arms overall outside depth: 24" overall outside height: 33.5"

Weight: ME00 15 lbs. ME10 17 lbs.

COM Requirement: 1 yard per chair

Colored Mesh

COLOR

Red

Green

Dark Gray

Black mesh is default

Dark Gray

Mesh colors

TO ORDER, please specify: back mesh color/cost total price model fabric pattern fabric color fabric grade price options/cost **EXAMPLE** ME10BK ANCHORAGE **ONYX 2016** 520 HC09/\$45 MM000/\$0 565



Dimensions



· Poly mesh back

· Upholstered seat

(1 paddle)

MELO[®]Chair Basic

- Free floats in unlocked position
- Tilt tension adjustment

- · 275 capacity
- Ships KD with assembly required

All prices are LIST

| Model | Arm Options | 1 | COM 2 | Upholste 3 | ery Grade 4 | 5 | 6 |
|--------------------|--------------------------------------|-------------------------|-------------|---------------|----------------|-----|-----|
| MEHB02 swivel tilt | armless | 550 | 580 | 610 | 665 | 720 | 765 |
| | ZH fixed conference room | 580 | 610 | 640 | 695 | 750 | 795 |
| | FH fixed with pad | 585 | 615 | 645 | 700 | 755 | 800 |
| T | AT adj. T with pad | 660 | 690 | 720 | 775 | 830 | 875 |
| | Ships with CC01 hooded carpet caster | s and CY14 heigi | ht cylinder | | | | |
| | Swivel Tilter | | | | | | |

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, tilt

Arm Options

HIGHBACK

ZH fixed conference room



FH fixed with pad



AT adj. T height adjustment w/BAP

| Additional Options | | | | | |
|--------------------|-----------------------------------|------------|--|--|--|
| MODEL# | | <u>ADD</u> | | | |
| CAL133 | California Technical Bulletin 133 | 100 | | | |
| HC01 | Hard floor casters (set of 5) | 45 | | | |

tension control, tilt free floats or locks in upright position.

| Colored Mesh | | | | |
|--------------|-----------------------|------------|--|--|
| MODEL# | COLOR | <u>ADD</u> | | |
| MM001 | Red | 75 | | |
| MM003 | Green | 75 | | |
| MM005 | Dark Gray | 75 | | |
| MM000 | Black mesh is default | 0 | | |
| | | | | |

Mesh colors







Dimensions

Actual dimensions will vary depending on model and options selected.

seat width: 21" seat depth: 21"

back width: 20.5" back height: 22"

Weight: approx. 36-38 lbs. COM Requirement: .5 yard per chair

TO ORDER, please specify: total price model fabric pattern fabric color fabric grade price options/cost back mesh color/cost **EXAMPLE ANCHORAGE ONYX 2016** HC01/\$45 705 MEHB02 MM000/\$0





Ships partially assembled.

| | - | - | - | |
|------------------|---|---|---------------------|---|
| 300 lb. Capacity | | | All prices are LIST | - |

| Model | | Arm Options | Arm Pad Options (default pad in bold) | 1 | COM 2 | Uphol 3 | stery Gr | ade 5 | 6 |
|--------|--------------|-----------------------|---------------------------------------|-----|----------|------------|----------|----------|------|
| MEMB04 | synchro tilt | armless | - | 655 | 685 | 715 | 770 | 825 | 870 |
| T | | DA drop away | BAP, BT | 780 | 810 | 840 | 895 | 950 | 995 |
| | | ATS adj. T | BAP, BT | 780 | 810 | 840 | 895 | 950 | 995 |
| | | ATS/AW adj. T | BAP, BT | 795 | 825 | 855 | 910 | 965 | 1010 |
| | | MAT/AW multi-function | - | 855 | 885 | 915 | 970 | 1025 | 1070 |

Ships with CC07-SL black & silver non-hooded carpet casters and CY06 height cylinder

300 lb. Capacity All prices are LIST Model MEHB04 synchro tilt




| Arm Options | Arm Pad Options | | COM | | stery Gra | | |
|-----------------------|-----------------------|-----|-----|-----|-----------|------|------|
| 7 am Options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| armless | - | 680 | 710 | 740 | 795 | 850 | 895 |
| DA drop away | BAP , BT | 805 | 835 | 865 | 920 | 975 | 1020 |
| ATS adj. T | BAP, BT | 805 | 835 | 865 | 920 | 975 | 1020 |
| ATS/AW adj. T | BAP, BT | 820 | 850 | 880 | 935 | 990 | 1035 |
| MAT/AW multi-function | - | 880 | 910 | 940 | 995 | 1050 | 1095 |
| | | | | | | | |

Ships with CC07-SL black & silver non-hooded carpet casters and CY06 height cylinder

Melo Seat Sizes

Standard or Basic Series





Stool version non-tilting. Seat-height adjustment only.

Dimensions

GSA Contract Holder

Actual dimensions will vary depending on model and options selected.

seat width: 21" (Standard) seat depth: 21" (Standard)

Default unless otherwise specified

back width: 20.5"

Specify PTS

seat height from floor: 16"-23" (chair) seat height from floor: 24"-32" (stool)

Weight: approx. 36-38 lbs. COM Requirement: .5 yards per chair

seat width: 19" (Petite) back height: 18" (Midback) seat depth: 19" (Petite) back height: 22" (Highback)

> FREIGHT PROGRAM 11 or fewer \$25 net per chair 12 or more **free** shipping



Mechanism Functions

Synchro Tilter (2 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, synchronized tilt between seat and back, free floats in unlocked position, 4 position tilt lock, tilt tension control.


Arm Options



DA drop away



ATS adj. T height adjustment



(BT pad recommended)

ATS/AW adj. T includes height and width adjustment (BT pad recommended)



(no arm pad option)

Arm Pad Options



BT bullet arm pad (default pad if none specified)



| | Additional Options | |
|-----------|--|------------|
| MODEL# | | <u>ADD</u> |
| CAL133 | California Technical Bulletin 133 | 100 |
| MF | Memory foam 1" top added to seat | 120 |
| EF | 1" extra seat foam | 80 |
| SS (MESH) | Sliding seat depth adjustment (not available on stools) | 90 |
| GLBG | Stationary bell glides (set of 5) all black only | 45 |
| HC07 | Hard floor casters (set of 5) all black only | 45 |
| SP* | Stool package includes 8" cylinder and "Sure Grip" footring. Seat height extends from 24"-32". | 135 |
| FR20 | "Sure Grip" footring only | 100 |
| ALUM PKG | Includes: Base (BASE25-THA), Cylinder (CY02-CH), Casters (CCCH or HCCH) | 250 |
| PRP SEAT | Pronto petite seat upgrade | 60 |
| PRMB SEAT | Pronto midback seat upgrade | 60 |
| **** | | |

*When converting to a stool, the tilt feature is disengaged by the factory before shipping.

| | Colored Mesh | |
|--------|-----------------------|------------|
| MODEL# | <u>COLOR</u> | <u>ADD</u> |
| MM001 | Red | 75 |
| MM003 | Green | 75 |
| MM005 | Dark Gray | 75 |
| MM000 | Black mesh is default | 0 |
| | | |

Mesh colors









| TO ORDER, please specify: | model | arm | arm pad | fabric pattern | fabric color | fabric grade | price | options/cost | back mesh color/cost | total price | |
|---------------------------|--------|-----|---------|----------------|--------------|--------------|-------|--------------|----------------------|-------------|--|
| EYAMDI E | MEMBOA | ATC | RT | ANCHORAGE | ONVY 2016 | 1 | 805 | HC07\$45 | MM000/\$0 | 850 | |





- Upholstered seat and black mesh back
- Synchro-tilt with 4-position lock
- Tilt tension adjustment
- Seat slider
- Height and width adjustable arms
- Lumbar adjustment
- 300 lb. capacity
- · Ships KD with assembly required
- Quick Ship (Stock Black Upholstery)

| Model | Seat Height | Fabric Color | List |
|----------------------------|-------------|--------------|------|
| NIFTY-L STK BK | 19"-21.5" | Stock Black | 895 |
| NIFTY-L-SP STK BK Stool | 23"-31" | Stock Black | 1030 |
| NIFTY-L-XSP STK BK Stool* | 25"-35" | Stock Black | 1050 |

| ΔII | prices | are | 115 |
|----------|--------|-----|---------|
| \neg u | prices | aic | L_{I} |

| Model | Soot Height | | COM | Uphols | tery Gra | ide | |
|-----------------------|-------------|------|----------|--------|----------|------|------|
| Model | Seat Height | 1 | COM 2 | 3 | 4 | 5 | 6 |
| <u>NIFTY-L</u> | 19"-21.5" | 935 | 965 | 995 | 1055 | 1115 | 1160 |
| NIFTY-L-SP Stool* | 23"-31" | 1070 | 1100 | 1130 | 1190 | 1250 | 1295 |
| NIFTY-L-XSP Stool* | 25"-35" | 1090 | 1120 | 1150 | 1210 | 1270 | 1315 |

*Stool version non-tilting. Seat-height adjustment only.

Ships with CC07 hooded carpet casters

| | ips with 0001 hooded carpet casters | |
|--------|--|------------|
| | Additional Option | |
| MODEL# | | <u>ADD</u> |
| HC07 | Hooded hard-floor casters (set of 5) | 45 |
| | | |

Dimensions

Actual dimensions will vary depending on model and options selected.

| seat width | 20.5" |
|------------|-----------------------|
| seat depth | 19"-21.5" (stool 19") |

back width 19.75" back height 23" seat height from floor 19"-21.5" (chair) seat height from floor 23"-31" (stool) seat height from floor 25"-35" (extended stool)

Weight: Chair 43 lbs. Stool 50 lbs.

COM Requirements: 1 yard per chair

TO ORDER, please specify: model fabric pattern fabric color fabric grade price options/cost total price

EXAMPLE NIFTY-L MOGULS FLARE 2188 1 935 HC07/\$45 980





Chair or stool

Self-skinned polyurethane

POLYURETHANE

- Hard-floor soft-wheel casters
- Industrial, medical or lab applications
- Easy cleaning

- 300 lb. capacity
- Ships KD with assembly required

Chair



Chair 24" base

| ilali | | |
|---------------|---|------|
| Model | Description | List |
| <u>UR4001</u> | Basic Task <i>(1 paddle)</i> Swivels 360°, pneumatic cylinder seat-height adjustment | 395 |

| <u>UR4003</u> | Posture Back (2 paddles) Swivels 360°, pneumatic cylinder seat-height adjustment, infinite back angle adjustment, back-height adjustment | 520 |
|---------------|---|-----|
|---------------|---|-----|

Stool



Stool 26" base

| Model | Description | List |
|-------------------|---|------|
| <u>UR4001-XSP</u> | Basic Task <i>(1 paddle)</i> Swivels 360°, pneumatic cylinder seat-height adjustment | 550 |

| UR4003-XSP | Posture Back <i>(2 paddles)</i> Swivels 360°, pneumatic cylinder seat-height adjustment, infinite back angle adjustment, back-height adjustment | 675 |
|------------|--|-----|
|------------|--|-----|

| | Additional Options | |
|--------|--|------------|
| MODEL# | | <u>ADD</u> |
| GLBG | Stationary bell glides (set of 5) | 45 |
| MSLC | Self-braking hard floor casters brake when unoccupied (set of 5) | 75 |
| MSRLC | Self-braking hard floor casters brake when occupied (set of 5) | 75 |
| CC01 | Carpet casters-black only (set of 5) | N/C |

Dimensions

Actual dimensions will vary depending on model and options selected.

seat width 18" back width 16" seat depth 17" back height 18"-20"

seat height from floor chair 15.5"-20.5" seat height from floor stool 21"-31"

Neight: approx. 30 lbs. chair approx. 33 lbs. stool

TO ORDER, please specify:modeloptions/rpicepriceEXAMPLEUR4001-XSPCC01/NO CHARGE395





Use for basic task and minimal use situations.

PRB01

Simple adjustments.

- For the person 4'10" or smaller
- Proportionally scaled seat and back
- Convex back

- 4" seat foam
- Soft and supple sit
- Partial assembly required

| | | | | 300 lb. Capacity | | | | All prices are LIST | |
|--|---------------------|------------------------|-----|------------------|-----|------------|-----|---------------------|--|
| | Arm Options | Arm Pad Options | | СОМ | | stery Grad | le | | |
| | Ailli Options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 | |
| | armless | - | 610 | 650 | 690 | 730 | 790 | 850 | |
| | DA drop away | BAP, BT | 735 | 775 | 815 | 855 | 915 | 975 | |
| | AT adj. T | BAP, BT | 735 | 775 | 815 | 855 | 915 | 975 | |
| | ATS adj. T | BAP, BT | 750 | 790 | 830 | 870 | 930 | 990 | |
| | MAT multi-function | | 810 | 850 | 890 | 930 | 990 | 1050 | |

Ships with CC01 hooded carpet casters and CY01 height cylinder

| | | | | 3 | 00 lb. Сар | acity | | All prices | s are LIST |
|--|-------------------------------|-----------------------|------------------------|-----|------------|-------|------------|---|------------|
| | | | Arm Pad Options | | СОМ | Uphol | stery Grac | le | |
| Model | | Arm Options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| PRB02 | swivel tilter ratchet back | armless | | 660 | 700 | 740 | 780 | 840 | 900 |
| Great for mid management, conference room and meeting applications. Simple adjust- | | DA drop away | BAP, BT | 785 | 825 | 865 | 905 | 965 | 1025 |
| ments. | applications. Simple adjust- | AT/AW adj. T | BAP, BT | 795 | 835 | 875 | 915 | 4 5 80 840 05 965 15 975 25 985 35 995 | 1035 |
| • | | ATS adj. T | BAP, BT | 805 | 845 | 888 | 925 | 985 | 1045 |
| | ATS/AW adj. T | BAP, BT | 815 | 855 | 895 | 935 | 995 | 1055 | |
| | | MAT/AW multi-function | - | 860 | 900 | 940 | 980 | 1040 | 1100 |

Ships with CC01 hooded carpet casters and CY01 height cylinder

| | | | 300 lb. Capacity | | | | | All pric | es are LIST |
|---|---------------------------------|-----------------------|------------------------|-----|-----|-------|------------|----------|-------------|
| | | | Arm Pad Options | | СОМ | Uphol | stery Grad | е | |
| Perfect for clerical us that require some act for stools. **AW (adj. width ar | | Arm Options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| PRB03 | posture back ratchet back | armless | - | 730 | 770 | 810 | 850 | 910 | 970 |
| Perfect for clerical use and tasking situations | | DA drop away | BAP, BT | 855 | 895 | 935 | 975 | 1035 | 1095 |
| • | ne adjustability. Ideal control | AT/AW adj. T | BAP, BT | 865 | 905 | 945 | 985 | 1045 | 1105 |
| **AW (adj. widt | h arm brackets) cannot be | ATS adj. T | BAP, BT | 870 | 910 | 950 | 990 | 1050 | 1110 |
| PRB03 posture back ratchet back Perfect for clerical use and tasking situations that require some adjustability. Ideal control | ATS/AW adj. T | BAP, BT | 885 | 925 | 965 | 1005 | 1065 | 1125 | |
| | , | MAT/AW multi-function | - | 930 | 970 | 1010 | 1050 | 1110 | 1170 |

Ships with CC01 hooded carpet casters and CY01 height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 16" seat depth 14"

37

14"-17"

seat height from floor

back width 16" back height 19"-22" Weight: 45 lbs.

COM Requirements: 2 yards per chair



TO ORDER, please specify: model arm pad back panel options fabric pattern fabric color price **EXAMPLE** PRB04 AT/AW SB HC01 **ANCHORAGE** ONYX 2016 910

NOTE: Pronto Bantam ships standard with a CY01 lower seat height 3" travel cylinder. Optional 5" travel CY02 available without upcharge and must be specified.

Mechanism Functions

Basic Task

(1 paddle)

Swivels 360°, pneumatic cylinder seat height adjustment, back depth adjustment.

Swivels 360°, pneumatic cylinder seat

height adjustment, seat and back tilt as

unit, tilt tension control, tilt free floats or locks in upright position, internal ratchet




Arm Options

DA drop away

BAP Buzz arm pad (default pad if none specified except for ATS)

BT bullet arm pad



AT/AW adj. T includes height and width adjustment



ATS adj. T height adjustment



ATS/AW adj. T includes



MAT/AW multi-function (no arm pad option)

Arm Pad Options Back Panel Options

- SB Standard upholstered back panel. (DEFAULT)
- Ballistic nylon back recommended (no upcharge)
- Bumper back trim recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered a 45 list upcharge applies. Refer to web site for BP color selections.

DEFAULT IS SB UNLESS SPECIFIED OTHERWISE

Additional Options MODEL# ADD CAL133 California Technical Bulletin 133 160 MF 120 1" layer memory foam over upgraded high density foam seat EF 1" extra seat foam 80 GLBG Stationary bell glides (set of 5) 45 HC01 Hard floor/multisurface casters (set of 5) 45 MSLC Self-braking hard floor casters 70 brake when unoccupied (set of 5) **MSRLC** Self-braking hard floor casters 75 brake when occupied (set of 5) FR20 100 "Sure Grip" footring

38

Posture Back (2 paddles)

Swivel Tilter

back height adjustment.

(1 paddle)

Swivels 360°, pneumatic cylinder seat height adjustment, infinite back angle adjustment, internal ratchet back height adjustment.



height and width adjustment

All prices are LIST



synchro tilter ratchet back

Smooth and simple ride. Synchronized

movement between seat and back. Any

**AW (adj. width arm brackets) cannot be

included with PRB24 series if SS (sliding seat

depth adjustment) is ordered.

PRB04

application.

- For the person 4'10" or smaller
- Proportionally scaled seat and back
- Convex back

- 4" seat foam
- Soft and supple sit
- Partial assembly required

300 lb. Cabacity

| | | | 300 ib. ca | pacity | | All price | 3 are Lioi |
|-----------------------|-----------------------|-----|------------|--------|------------|-----------|------------|
| | Arm Pad Options | | СОМ | Uphol | stery Grad | le | |
| Arm Options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| armless | - | 730 | 770 | 810 | 850 | 910 | 970 |
| DA drop away | BAP , BT | 855 | 895 | 920 | 975 | 1035 | 1095 |
| AT/AW adj. T | BAP , BT | 865 | 905 | 945 | 985 | 1045 | 1105 |
| ATS adj. T | BAP, BT | 870 | 910 | 950 | 990 | 1050 | 1110 |
| ATS/AW adj. T | BAP, BT | 885 | 925 | 965 | 1005 | 1065 | 1125 |
| MAT/AW multi-function | - | 930 | 970 | 1010 | 1050 | 1110 | 1170 |

Ships with CC01 hooded carpet casters and CY01 height cylinder

| | | | | 300 lb. Capacity | | | All prices are LIST | | |
|----------------------|--|---------------------|-----------------------|------------------|-------|------------|---------------------|------|------|
| No. J. I | | Arm Pad Options | | СОМ | Uphol | stery Grad | е | | |
| Model | | Arm Options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| PRB08 | multi tilter ratchet back | armless | - | 865 | 905 | 945 | 985 | 1045 | 1105 |
| | cations that require maximum Multipurpose full 6 function control. Recommended for its and ease of adjustments. | DA drop away | BAP, BT | 990 | 1030 | 1070 | 1110 | 1170 | 1230 |
| ergonomic contro | | AT adj. T | BAP , BT | 990 | 1030 | 1070 | 1110 | 1170 | 1230 |
| infinite range and e | | ATS adj. T | BAP, BT | 1005 | 1045 | 1085 | 1125 | 1185 | 1245 |
| | | MAT multi-function | - | 1065 | 1105 | 1145 | 1185 | 1245 | 1305 |

Ships with CC01 hooded carpet casters and CY01 height cylinder

Most nonular (recommended)

| Most popular | lost popular (recommended) | | | 300 lb. Capacity | | | | | All prices are LIST | |
|--|--|---------------------|------------------------|------------------|------|--------|------------|------|---------------------|--|
| | | | Arm Pad Options | | СОМ | Uphols | stery Grad | е | | |
| Model PRB09 min Perfect for any applic control at a value price | | Arm Options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 | |
| PRB09 | multi tilt ratchet back integrated seat slider | armless | - | 895 | 935 | 975 | 1015 | 1075 | 1135 | |
| PRB09 multi tilt ratchet back integrated seat slider Perfect for any application. An all inclusive control at a value price. Includes an internal ratchet back height adjustment and seat | * | DA drop away | BAP , BT | 1020 | 1060 | 1100 | 1140 | 1200 | 1260 | |
| | AT adj. T | BAP , BT | 1020 | 1060 | 1100 | 1140 | 1200 | 1260 | | |
| | | ATS adj. T | BAP, BT | 1035 | 1075 | 1115 | 1155 | 1205 | 1275 | |
| slider. | | MAT multi-function | - | 1095 | 1135 | 1175 | 1215 | 1275 | 1335 | |

Ships with CC01 hooded carpet casters and CY01 height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 16" seat depth 14"

seat height from floor 14"-17"

back width 16" back height 19"-22"

Weight: 45 lbs. COM Requirements: 2 yards per chair



TO ORDER, please specify: model arm pad back panel options fabric pattern fabric color price **EXAMPLE** PRB04 AT/AW HC01 **ANCHORAGE** ONYX 2016 910

> NOTE: Pronto Bantam ships standard with a CY01 lower seat height 3" travel cylinder. Optional 5" travel CY02 available without upcharge and must be specified.

Mechanism Functions

PRONTOSeries-Bantam

Synchro Tilter

Multi Tilter

(3 paddles)

adiustment.

(2 paddles) Swivels 360°, pneumatic cylinder seat height adjustment, synchronized tilt between seat and back, free floats in unlocked position, 3 position tilt lock, tilt tension control, internal ratchet back height adjustment.

Swivels 360°, pneumatic cylinder seat

height adjustment, seat and back

tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt

tension control, internal ratchet back height adjustment, infinite back angle

Arm Options



DA drop away



BT bullet arm pad

BAP Buzz arm pad (default pad if none specified except for ATS)



AT/AW adj. T includes height and width adjustment



ATS adj. T height adjustment



ATS/AW adj. T includes



MAT/AW multi-function (no arm pad option)

Arm Pad Options

- SB Standard upholstered back panel. (DEFAULT)
- Ballistic nylon back recommended (no upcharge)
- Bumper back trim recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Back Panel Options

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered a 45 list upcharge applies. Refer to web site for BP color selections.

DEFAULT IS SB UNLESS SPECIFIED OTHERWISE

Additional Options MODEL# ADD CAL133 California Technical Bulletin 133 160 MF 120 1" layer memory foam over upgraded high density foam seat EF 1" extra seat foam 80 GLBG Stationary bell glides (set of 5) 45 HC01 Hard floor/multisurface casters (set of 5) 45 Self-braking hard floor casters MSLC 70 brake when unoccupied (set of 5) **MSRLC** Self-braking hard floor casters 75 brake when occupied (set of 5) FR20 100 "Sure Grip" footring

40

Multi Tilt w/Integrated Seat Slider

(4 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment, side activated sliding seat pan.

height and width adjustment



Use for basic task and minimal use situations.

Stool options available on PRP01

PRP01

Simple adjustments.

- Sized for the petite individual
- Proportionally scaled seat and back
- Convex back

- 4" seat foam
- Soft and supple sit
- · Partial assembly required

| | 300 lb. C | | | oacity | | All price | es are LIST |
|---------------------|-----------------------|-----|-----|--------|-------------|-----------|-------------|
| | Arm Pad Options | | COM | Uphol | stery Grade | | |
| Arm Options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| armless | - | 620 | 660 | 700 | 740 | 800 | 860 |
| DA drop away | BAP, BT | 745 | 785 | 825 | 865 | 925 | 985 |
| AT adj. T | BAP, BT | 745 | 785 | 825 | 865 | 925 | 985 |
| ATS adj. T | BAP, BT | 760 | 800 | 840 | 880 | 940 | 1000 |
| MAT multi-function | - | 820 | 860 | 900 | 940 | 1000 | 1060 |

Ships with CC01 hooded carpet casters and CY01 height cylinder

| | | | | | 300 lb. Ca | | All prices are LIST | | |
|---|-------------------------------|-----------------------|------------------------|-----|------------|-------|---------------------|------|------|
| Model | | Arm Options | Arm Pad Options | | СОМ | Uphol | stery Grad | - | |
| Model | | Aim Options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| PRP02 | swivel tilter ratchet back | armless | - | 670 | 710 | 750 | 790 | 850 | 910 |
| Great for mid management, conference room | | DA drop away | BAP, BT | 795 | 835 | 875 | 915 | 975 | 1035 |
| ments. | pplications. Simple adjust- | AT/AW adj. T | BAP, BT | 805 | 845 | 885 | 925 | 985 | 1045 |
| | | ATS adj. T | BAP, BT | 810 | 850 | 890 | 930 | 990 | 1050 |
| | | ATS/AW adj. T | BAP, BT | 825 | 865 | 905 | 945 | 1005 | 1065 |
| | | MAT/AW multi-function | - | 870 | 910 | 950 | 990 | 1050 | 1110 |

Ships with CC01 hooded carpet casters and CY01 height cylinder

| | | | | | 300 lb. Caj | All prices are LIST | | | |
|---|--------------------------------|-----------------------|------------------------|-----|-------------|-------------------------|------|------|------|
| Model | | Arm Options | Arm Pad Options | COM | | Upholstery Grade | | е | |
| | | | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| PRP03 | posture back ratchet back | armless | - | 740 | 780 | 820 | 860 | 920 | 980 |
| Perfect for clerical use and tasking situations | | DA drop away | BAP, BT | 865 | 905 | 945 | 985 | 1045 | 1105 |
| for stools. | e adjustability. Ideal control | AT/AW adj. T | BAP, BT | 875 | 915 | 955 | 995 | 1055 | 1115 |
| Stool options available on PRP03 | | ATS adj. T | BAP, BT | 880 | 920 | 960 | 1000 | 1060 | 1120 |
| | | ATS/AW adj. T | BAP, BT | 895 | 935 | 975 | 1015 | 1075 | 1035 |
| | | MAT/AW multi-function | - | 940 | 980 | 1020 | 1060 | 1120 | 1180 |

Ships with CC01 hooded carpet casters and CY01 height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 18" seat depth 16"

15.5"-19"

seat height from floor back width 17" back height 19"-22" Weight: 47 lbs.

COM Requirements: 2 yards per chair

FREIGHT PROGRAM 11 or fewer \$25 net per chair 12 or more **free** shipping

TO ORDER, please specify: model arm pad back panel options fabric pattern fabric color price **EXAMPLE** PRP04 AT/AW HC01 **AHCHORAGE** ONYX 2016 920

NOTE: Pronto Petite ships standard with a CY01 lower seat height 3" travel cylinder. Optional 5" travel CY02 available without upcharge and must be specified.

Mechanism Functions

PRONTOSeries - Petite

Basic Task

Swivel Tilter

back height adjustment.

Posture Back (2 paddles)

adjustment.

(1 paddle)

(1 paddle)

Swivels 360°, pneumatic cylinder seat height adjustment, back depth adjust-

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, tilt tension control, tilt free floats or locks in upright position, internal ratchet

Swivels 360°, pneumatic cylinder seat height adjustment, infinite back angle

adjustment, internal ratchet back height

Arm Options




DA drop away



Arm Pad Options

BAP Buzz arm pad (default pad if none specified except for ATS)


BT bullet arm pad



AT/AW adi. T includes height and width adjustment



ATS adj. T height adjustment



ATS/AW adj. T includes height and width adjustment



MAT/AW multi-function (no arm pad option)

Back Panel Options

- SB Standard upholstered back panel. (DEFAULT)
- Ballistic nylon back recommended (no upcharge)
- Bumper back trim recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered a 45 list upcharge applies. Refer to web site for BP color selections.

DEFAULT IS SB UNLESS SPECIFIED OTHERWISE

| MODEL# | | ADD |
|--------|--|----------|
| CAL133 | California Technical Bulletin 133 | 160 |
| MF | 1" layer memory foam over upgraded high density foam seat | 120 |
| EF | 1" extra seat foam | 80 |
| GLBG | Stationary bell glides (set of 5) | 45 |
| HC01 | Hard floor/multisurface casters (set of | 5) 45 |
| MSLC | Self-braking hard floor casters brake when unoccupied (set of 5) | 70 |
| MSRLC | Self-braking hard floor casters brake when occupied (set of 5) | 75 |
| SP | Stool package (with PRP01, PRP03 controls only). Includes 8" cylinder an "Sure Grip" footring. Seat height extends from 20"-28". | 133 d |
| XSP | Ext. stool package (with PRP01 , PRP03 controls only). Includes 10" cylinder and "Sure Grip" footring. Seat height extends from 22"-32". | 156 |
| FR20 | "Sure Grip" footring | 100 |

series if SS (sliding seat depth adjustment) is ordered.

Lifetime Warranty

All prices are LIST



Smooth and simple ride. Synchronized

movement between seat and back. Any

**AW (adj. width arm brackets) cannot be

included with PRP04 series if SS (sliding seat

depth adjustment) is ordered.

PRP04

application.

- Sized for the petite individual
- Proportionally scaled seat and back
- Convex back

- 4" seat foam
- Soft and supple sit
- Partial assembly required

300 lb. Cabacity

| | | 500 ib. Suparity | | | | | co are Ero |
|-----------------------|-----------------------|------------------|-----|-------|------------|------|------------|
| | Arm Pad Options | | СОМ | Uphol | stery Grad | le | |
| Arm Options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| armless | - | 740 | 780 | 820 | 860 | 920 | 980 |
| DA drop away | BAP , BT | 865 | 905 | 945 | 985 | 1045 | 1105 |
| AT/AW adj. T | BAP , BT | 875 | 915 | 955 | 995 | 1055 | 1115 |
| ATS adj. T | BAP, BT | 880 | 920 | 960 | 1000 | 1060 | 1120 |
| ATS/AW adj. T | BAP, BT | 895 | 935 | 975 | 1015 | 1075 | 1035 |
| MAT/AW multi-function | - | 940 | 980 | 1020 | 1060 | 1120 | 1180 |

Ships with CC01 hooded carpet casters and CY01 height cylinder

| | | | | 300 lb. Capacity | | | | All prices are LIS | | |
|--------------------|--|-----------------------|------------------------|------------------|------|-------------------------|------|--------------------|------|--|
| Model | | | Arm Pad Options | СОМ | | Upholstery Grade | | le | | |
| | | Arm Options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 | |
| PRP08 | multi tilter ratchet back | armless | - | 875 | 915 | 955 | 995 | 1055 | 1115 | |
| | ons that require maximum | DA drop away | BAP, BT | 1000 | 1040 | 1080 | 1120 | 1180 | 1240 | |
| ergonomic cont | ultipurpose full 6 function rol. Recommended for its | AT/AW adj. T | BAP, BT | 1010 | 1050 | 1090 | 1130 | 1190 | 1250 | |
| infinite range and | l ease of adjustments. | ATS adj. T | BAP, BT | 1015 | 1055 | 1095 | 1135 | 1195 | 1255 | |
| | | ATS/AW adj. T | BAP, BT | 1030 | 1070 | 1110 | 1150 | 1210 | 1270 | |
| | | MAT/AW multi-function | - | 1075 | 1115 | 1155 | 1195 | 1255 | 1315 | |

Ships with CC01 hooded carpet casters and CY01 height cylinder

| Most popular | lost popular (recommended) | | | | | 300 lb. Capacity | | | |
|----------------|--|---------------------|------------------------|------|------|-------------------------|------|------|------|
| Model | | Anna Ontinua | Arm Pad Options | | СОМ | Upholstery Grade | | le | |
| | | Arm Options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| PRP09 | multi tilt ratchet back integrated seat slider | armless | - | 905 | 945 | 985 | 1025 | 1085 | 1145 |
| , | application. An all inclusive | DA drop away | BAP, BT | 1030 | 1070 | 1110 | 1150 | 1210 | 1170 |
| ratchet back h | ue price. Includes an internal eight adjustment and seat | AT adj. T | BAP, BT | 1040 | 1080 | 1120 | 1160 | 1220 | 1180 |
| slider. | | ATS adj. T | BAP, BT | 1045 | 1085 | 1125 | 1165 | 1225 | 1185 |
| | | ATS/AW adj. T | BAP, BT | 1060 | 1100 | 1140 | 1180 | 1240 | 1200 |
| | | MAT multi-function | - | 1105 | 1145 | 1185 | 1225 | 1285 | 1245 |

Ships with CC01 hooded carpet casters and CY01 height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 18" seat depth 16"

15.5"-19"

seat height from floor back width 17" back height 19"-22" Weight: 47 lbs.

COM Requirements: 2 yards per chair

FREIGHT PROGRAM 1 or fewer \$25 net per chair 12 or more **free** shipping

TO ORDER, please specify: model arm pad back panel options fabric pattern fabric color price **EXAMPLE** PRP04 AT/AW SB HC01 **ANCHORAGE** ONYX 2016 920

NOTE: Pronto Petite ships standard with a CY01 lower seat height 3" travel cylinder. Optional 5" travel CY02 available without upcharge and must be specified.

Mechanism Functions

PRONTOSeries - Petite

Synchro Tilter

Multi Tilter

(3 paddles)

adiustment.

Multi Tilt w/Integrated

Swivels 360°, pneumatic cylinder seat

height adjustment, seat and back tilt

as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment, side activated sliding seat pan.

Seat Slider

(4 paddles)

(2 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, synchronized tilt between seat and back, free floats in unlocked position, 3 position tilt lock, tilt tension control, internal ratchet back height adjustment.

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle



Arm Options

DA drop away

Arm Pad Options

BAP Buzz arm pad (default pad if none specified except for ATS)




AT/AW adj. T includes height and width adjustment



BT bullet arm pad



ATS adj. T height adjustment



ATS/AW adj. T includes height and width adjustment



MAT/AW multi-function (no arm pad option)

Back Panel Options

- SB Standard upholstered back panel. (DEFAULT)
- Ballistic nylon back recommended (no upcharge)
- Bumper back trim recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered a 45 list upcharge applies. Refer to web site for BP color selections.

DEFAULT IS SB UNLESS SPECIFIED OTHERWISE

Additional Options MODEL#

| MODEL# | | <u>ADD</u> |
|--------|---|------------|
| CAL133 | California Technical Bulletin 133 | 160 |
| MF | 1" layer memory foam over upgraded high density foam seat | 120 |
| EF | 1" extra seat foam | 80 |
| GLBG | Stationary bell glides (set of 5) | 45 |
| HC01 | Hard floor/multisurface casters (set of 5) | 45 |
| MSLC | Self-braking hard floor casters brake when unoccupied (set of 5) | 70 |
| MSRLC | Self-braking hard floor casters brake when occupied (set of 5) | 75 |
| FR20 | "Sure Grip" footring | 100 |

FOOTNOTE:

** AW (adj. width arm brackets) cannot be included with PRP04 & PRP09 series if SS (sliding seat depth adjustment) is ordered or 1020

1080

price

940

fabric color

ONYX 2016



basic task fixed back

Use for basic task and minimal use situations.

Stool options available on PRMB01

PRMB01

Simple adjustments.

- Accommodates most individuals as a mid-sized chair
- Proportionally scaled seat and back
- Convex back

Arm Options

DA drop away

AT/AW adj. T

ATS/AW adj. T

MAT/AW multi-function

ATS adj. T

armless

• 4" seat foam

840

- Soft and supple sit
- · Partial assembly required

| | 3 | All pric | es are LIST | | | |
|------------------------|-----|----------|-------------|-----|-----|------|
| Arm Pad Options | | COM | | | | |
| (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| - | 640 | 680 | 720 | 760 | 820 | 880 |
| BAP, BT | 765 | 805 | 845 | 885 | 945 | 1005 |
| BAP, BT | 775 | 815 | 835 | 895 | 955 | 1015 |
| BAP, BT | 780 | 820 | 840 | 900 | 960 | 1020 |
| BAP, BT | 795 | 825 | 865 | 915 | 975 | 1035 |

920

960

880

Ships with CC01 hooded carpet casters and CY02 height cylinder

| | | | | 300 lb. Ca | All prices are LIST | | | |
|--|-----------------------|-----------------------|-----|------------|---------------------|-------------------------|------|------|
| | Arm Options | Arm Pad Options | | COM | Uphol | Upholstery Grade | | |
| Model | | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| PRMB02 swivel tilter ratchet back | armless | - | 690 | 730 | 770 | 810 | 870 | 930 |
| Great for mid management, conference | DA drop away | BAP, BT | 815 | 855 | 895 | 935 | 995 | 1055 |
| room and meeting applications. Simple adjustments. | AT/AW adj. T | BAP, BT | 825 | 865 | 895 | 945 | 1005 | 1065 |
| | ATS adj. T | BAP, BT | 830 | 870 | 910 | 950 | 1010 | 1070 |
| | ATS/AW adj. T | BAP, BT | 845 | 855 | 925 | 965 | 1025 | 1085 |
| | MAT/AW multi-function | - | 890 | 930 | 970 | 1010 | 1070 | 1130 |

Ships with CC01 hooded carpet casters and CY02 height cylinder

| | | | | 300 lb. Capacity | | | All prices are LIST | | |
|---|------------------------------|-----------------------|--|----------------------|------|--------|---------------------|------|------|
| Model | | Arm Options | Arm Pad Options (default pad in bold) | COM Upholstery Grade | | e 5 | 6 | | |
| PRMB03 | posture back ratchet back | armless | - | 760 | 800 | 840 | 880 | 940 | 1000 |
| Perfect for clerical use and tasking situations | | DA drop away | BAP, BT | 885 | 925 | 965 | 1005 | 1065 | 1125 |
| for stools. | adjustability. Ideal control | AT/AW adj. T | BAP, BT | 895 | 935 | 975 | 1015 | 1075 | 1135 |
| Stool options available on PRMB03 | | ATS adj. T | BAP, BT | 900 | 940 | 980 | 1020 | 1080 | 1140 |
| | | ATS/AW adj. T | BAP, BT | 915 | 955 | 965 | 1005 | 1065 | 1125 |
| | | MAT/AW multi-function | - | 960 | 1000 | 1040 | 1080 | 1140 | 1200 |

Ships with CC01 hooded carpet casters and CY02 height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 21" seat depth 19.5"

seat height from floor back width 20" back height 20.5"-23.5" 16"-21"

Weight: 49 lbs.

COM Requirements: 2 yards per chair



Mechanism Functions

PRONTOSeries - Midback

model

PRMB04

Basic Task

Swivel Tilter (1 paddle)

back height adjustment.

Posture Back (2 paddles)

adjustment.

(1 paddle)

Swivels 360°, pneumatic cylinder seat height adjustment, back depth adjustment.

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, tilt tension control, tilt free floats or locks in upright position, internal ratchet

Swivels 360°, pneumatic cylinder seat height adjustment, infinite back angle

adjustment, internal ratchet back height

TO ORDER, please specify:

EXAMPLE

Arm Options

AT/AW



DA drop away




arm pad

AT/AW adj. T includes height and width adjustment



ATS adj. T height adjustment



ATS/AW adj. T includes height and width adjustment



MAT/AW multi-function (no arm pad option)

Arm Pad Options

back panel

SB

BAP Buzz arm pad

(default pad if none

specified except for ATS)

options

HC01

SB Standard upholstered back panel. (DEFAULT)

fabric pattern

ANCHORAGE

Ballistic nylon back - recommended (no upcharge)

Back Panel Options

Bumper back trim – recommended (no upcharge)

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered a 45 list upcharge applies. Refer to web site for BP color selections.

Choose from 6 colors. Refer to web site for selection.

DEFAULT IS SB UNLESS SPECIFIED OTHERWISE

| | Additional Options | |
|--------|--|------------|
| MODEL# | | <u>ADD</u> |
| CAL133 | California Technical Bulletin 133 | 60 |
| MF | 1" layer memory foam over upgraded high density foam seat | 120 |
| EF | 1" extra seat foam | 80 |
| SS | Sliding seat depth adjustment (not available with PRMB01 or PRMB02) | 100 |
| GLBG | Stationary bell glides (set of 5) | 45 |
| HC01 | Hard floor/multisurface casters (set of 5) | 45 |
| MSLC | Self-braking hard floor casters brake when unoccupied (set of 5) | 70 |
| MSRLC | Self-braking hard floor casters brake when occupied (set of 5) | 75 |
| SP | Stool package (with PRMB01 , PRMB03 controls only). Includes 8" cylinder and "Sure Grip" footring. Seat height extends from 20"-28". | 135 |
| XSP | Ext. stool package (with PRMB01, PRMB03 controls only). Includes 10" cylinder and "Sure Grip" footring. Seat height extends from 22"-32". | 155 |
| FR20 | "Sure Grip" footring | 100 |

940

fabric color

ONYX 2016



Smooth and simple ride. Synchronized

movement between seat and back. Any

**AW (adj. width arm brackets) cannot be

seat depth adjustment) is ordered.

included with PRMB04 series if SS (sliding

PRMB04

application.

- Accommodates most individuals as a mid-sized chair
- Proportionally scaled seat and back
- Convex back

- 4" seat foam
 - Soft and supple sit
 - Partial assembly required

| | | | 300 lb. Ca | All price | s are LIST | | |
|-----------------------|--|-----|------------|------------|-----------------|---------|------|
| Arm Options | Arm Pad Options (default pad in bold) | 1 | COM 2 | Uphol 3 | stery Grad 4 | le 5 | 6 |
| armless | - | 760 | 800 | 840 | 880 | 940 | 1000 |
| DA drop away | BAP, BT | 885 | 925 | 965 | 1005 | 1065 | 1025 |
| AT/AW adj. T | BAP, BT | 895 | 935 | 975 | 1015 | 1075 | 1135 |
| ATS adj. T | BAP, BT | 900 | 940 | 980 | 1020 | 1080 | 1140 |
| ATS/AW adj. T | BAP, BT | 915 | 955 | 995 | 1035 | 1095 | 1055 |
| MAT/AW multi-function | - | 960 | 1000 | 1040 | 1080 | 1140 | 1200 |

Ships with CC01 hooded carpet casters and CY02 height cylinder

| _ | | | | 300 lb. Capacity | | | | All price | es are LIST |
|--|--|-----------------------|------------------------|------------------|------|-------|------------|-----------|-------------|
| | | | Arm Pad Options | СОМ | | Uphol | stery Grad | е | |
| Model | | Arm Options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| PRMB08 | multi tilter ratchet back | armless | - | 895 | 935 | 975 | 1015 | 1075 | 1135 |
| Use in applications that require maximum | | DA drop away | BAP , BT | 1020 | 1060 | 1100 | 1140 | 1200 | 1260 |
| ergonomic contro | tipurpose full 6 function ol. Recommended for its | AT/AW adj. T | BAP , BT | 1030 | 1070 | 1110 | 1150 | 1210 | 1270 |
| infinite range and | ease of adjustments. | ATS adj. T | BAP, BT | 1035 | 1075 | 1115 | 1155 | 1215 | 1275 |
| | | ATS/AW adj. T | BAP, BT | 1050 | 1090 | 1030 | 1170 | 1230 | 1290 |
| | | MAT/AW multi-function | - | 1095 | 1135 | 1135 | 1215 | 1275 | 1335 |

Ships with CC01 hooded carpet casters and CY02 height cylinder

| Most popular | (recommended) |
|-----------------|-----------------|
| IVINST NONLIJAR | i recommenaea i |

| Most popular | st popular (recommended) | | | | | 300 lb. Capacity | | | | |
|---|---|-----------------------|-----------------------|------|------|-------------------------|------|------|------|--|
| | | | Arm Pad Options | | СОМ | Upholstery Grade | | е | | |
| Model | | Arm Options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 | |
| PRMB09 | multi tilt ratchet back integrated seat slider | armless | - | 925 | 965 | 1005 | 1045 | 1105 | 1165 | |
| Perfect for any application. An all inclusive | | DA drop away | BAP, BT | 1050 | 1090 | 1130 | 1170 | 1230 | 1290 | |
| ratchet back heig | price. Includes an internal ht adjustment and seat | AT/AW adj. T | BAP , BT | 1060 | 1100 | 1140 | 1180 | 1240 | 1300 | |
| slider. | | ATS adj. T | BAP, BT | 1065 | 1105 | 1145 | 1185 | 1245 | 1305 | |
| | | ATS/AW adj. T | BAP, BT | 1080 | 1120 | 1160 | 1200 | 1260 | 1320 | |
| | | MAT/AW multi-function | - | 1125 | 1165 | 1205 | 1245 | 1305 | 1365 | |

Ships with CC01 hooded carpet casters and CY02 height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 21" seat depth 19.5"

seat height from floor back width 20" back height 20.5"-23.5" 16"-21

Weight: 49 lbs.

COM Requirements: 2 yards per chair

FREIGHT PROGRAM 11 or fewer \$25 net per chair 12 or more **free** shipping

Mechanism Functions

TO ORDER, please specify:

EXAMPLE

PRONTOSeries - Midback

model

PRMB04

Synchro Tilter

Multi Tilter (3 paddles)

adjustment.

Multi Tilt w/Integrated

Swivels 360°, pneumatic cylinder seat

height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment, side activated sliding seat pan.

Seat Slider (4 paddles)

(2 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, synchronized tilt between seat and back, free floats in unlocked position, 3 position tilt lock, tilt tension control, internal ratchet back height adjustment.

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle

Arm Options

AT/AW




DA drop away



AT/AW adj. T includes height and width adjustment



ATS adj. T height adjustment



ATS/AW adj. T includes height and width adjustment



MAT/AW multi-function (no arm pad option)

Arm Pad Options

back panel

SB

BAP Buzz arm pad

(default pad if none

specified except for ATS)

BT bullet arm pad

arm pad

options

HC01

SB Standard upholstered back panel. (DEFAULT)

fabric pattern

ANCHORAGE

Ballistic nylon back - recommended (no upcharge)

Back Panel Options

Bumper back trim – recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered a 45 list upcharge applies. Refer to web site for BP color selections.

DEFAULT IS SB UNLESS SPECIFIED OTHERWISE

Additional Options

| | Additional Options | |
|---------|---|------------|
| MODEL# | | <u>ADD</u> |
| CAL133 | California Technical Bulletin 133 | 160 |
| MF | 1" layer memory foam over upgraded high density foam seat | 120 |
| EF | 1" extra seat foam | 80 |
| SS | Sliding seat depth adjustment (not available with PRMB08) | 100 |
| GLBG | Stationary bell glides (set of 5) | 45 |
| HC01 | Hard floor/multisurface casters (set of 5) | 45 |
| MSLC | Self-braking hard floor casters brake when unoccupied (set of 5) | 70 |
| MSRLC | Self-braking hard floor casters brake when occupied (set of 5) | 75 |
| FR20 | "Sure Grip" footring | 100 |
| LINBACK | Linear back shape width 20"/height 20.5"-23.5" (PRMB04 Only) | N/C |

GSA Contract Holder

975

fabric color

ONYX 2016



Use for basic task and minimal use situations.

Stool options available on PRHB01

PRHB01

Simple adjustments.

- Designed for the larger sized individual as a high back chair
- Proportionally scaled seat and back
- Convex back

- 4" seat foam
- Soft and supple sit
- Partial assembly required

| | | | 300 lb. Ca _l | All price | es are LIST | | |
|-----------------------|------------------------|-----|-------------------------|-----------|-------------|------|------|
| Aum Ontions | Arm Pad Options | | COM | Uphol | stery Grad | le | |
| Arm Options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| armless | - | 730 | 770 | 810 | 850 | 910 | 970 |
| DA drop away | BAP, BT | 855 | 895 | 935 | 975 | 1035 | 1095 |
| AT/AW adj. T | BAP, BT | 865 | 905 | 945 | 985 | 1045 | 1105 |
| ATS adj. T | BAP, BT | 870 | 910 | 950 | 990 | 1050 | 1110 |
| ATS/AW adj. T | BAP, BT | 885 | 925 | 965 | 1005 | 1065 | 1125 |
| MAT/AW multi-function | - | 930 | 970 | 995 | 1050 | 1110 | 1170 |

Ships with CC01 hooded carpet casters and CY02 height cylinder

| | | | | | 300 lb. Ca | | All prices are LI | | |
|---|-------------------------------|-----------------------|------------------------|-----|------------|-------|-------------------|------|------|
| | | | Arm Pad Options | | COM | Uphol | stery Grade | | |
| Model | | Arm Options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| PRHB02 | swivel tilter ratchet back | armless | - | 725 | 765 | 805 | 845 | 905 | 965 |
| Great for mid management, conference room | | DA drop away | BAP, BT | 850 | 890 | 930 | 970 | 1030 | 1090 |
| and meeting apments. | pplications. Simple adjust- | AT/AW adj. T | BAP, BT | 860 | 900 | 940 | 980 | 1040 | 1100 |
| | | ATS adj. T | BAP, BT | 865 | 905 | 945 | 985 | 1045 | 1105 |
| | | ATS/AW adj. T | BAP, BT | 880 | 920 | 960 | 1000 | 1060 | 1120 |
| | | MAT/AW multi-function | - | 925 | 965 | 1005 | 1045 | 1105 | 1165 |

Ships with CC01 hooded carpet casters and CY02 height cylinder

| | | | | | 300 lb. Ca | | All prices are LIST | | |
|---|------------------------------|-----------------------|-----------------------|-----|------------|-------------------------|---------------------|------|------|
| Model | | Arm Options | Arm Pad Options | | COM | Upholstery Grade | | | |
| Model | | Aim options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| PRHB03 | posture back ratchet back | armless | - | 795 | 835 | 875 | 915 | 975 | 1035 |
| Perfect for clerical use and tasking situations | | DA drop away | BAP, BT | 920 | 960 | 1000 | 1040 | 1100 | 1160 |
| for stools. | adjustability. Ideal control | AT/AW adj. T | BAP, BT | 930 | 970 | 1010 | 1050 | 1110 | 1170 |
| Stool options available on PRHB03 | | ATS adj. T | BAP, BT | 935 | 975 | 1015 | 1055 | 1115 | 1175 |
| | | ATS/AW adj. T | BAP, BT | 950 | 990 | 1030 | 1070 | 1130 | 1190 |
| | | MAT/AW multi-function | - | 995 | 1035 | 1075 | 1115 | 1175 | 1235 |

Ships with CC01 hooded carpet casters and CY02 height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 22" seat depth 23"

seat height from floor 16"-21"

back width 21" back height 25.5"-28.5" Weight: 52 lbs.

COM Requirements: 2 yards per chair



TO ORDER, please specify: model arm arm pad back panel EXAMPLE PRHB04 AT/AW BP BB

PRONTOSeries - Highback

Mechanism Functions

Basic Task

Swivel Tilter (1 paddle)

Posture Back (2 paddles)

adjustment.

(1 paddle)

Swivels 360°, pneumatic cylinder seat height adjustment, back depth adjustment.

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, tilt tension control, tilt free floats or locks in upright position, internal ratchet back height adjustment.

Swivels 360°, pneumatic cylinder seat


height adjustment, infinite back angle

adjustment, internal ratchet back height



Arm Options


OA drop away



AT/AW adj. T includes height and width adjustment



ATS adj. T height adjustment



ATS/AW adj. T includes height and width adjustment



MAT/AW multi-function (no arm pad option)

Arm Pad Options

BAP Buzz arm pad

(default pad if none

specified except for ATS)

BT bullet arm pad

options

HC01

SB Standard upholstered back panel. (DEFAULT)

fabric pattern

ANCHORAGE

- B Ballistic nylon back recommended (no upcharge)
- Bumper back trim recommended (no upcharge)
 Choose from 6 colors. Refer to web site for selection.

Back Panel Options

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, **BB** or **BP** is recommended. One option is provided without an additional upcharge. If both options are ordered a **45** list upcharge applies. Refer to web site for **BP** color selections.

DEFAULT IS SB UNLESS SPECIFIED OTHERWISE

Additional Options

| | Additional Options | |
|--------|--|------------|
| MODEL# | | <u>ADD</u> |
| CAL133 | California Technical Bulletin 133 | 160 |
| MF | 1" layer memory foam over upgraded high density foam seat | 120 |
| EF | 1" extra seat foam | 80 |
| SS | Sliding seat depth adjustment (not available with PRHB01, PRHB02 & stools) | 100 |
| GLBG | Stationary bell glides (set of 5) | 45 |
| HC01 | Hard floor/multisurface casters (set of | 5) 45 |
| MSLC | Self-braking hard floor casters brake when unoccupied (set of 5) | 70 |
| MSRLC | Self-braking hard floor casters brake when occupied (set of 5) | 75 |
| SP | Stool package (with PRHB01 , PRHB03 controls only). Includes 8" cylinder and "Sure Grip" footring. Seat height extends from 20"-28". | 135 |
| XSP | Ext. stool package (with PRHB01 , PRHB03 controls only). Includes 10" cylinder and "Sure Grip" footring. Seat height extends from 22"-32". | 155 |
| FR20 | "Sure Grip" footring | 100 |

GSA Contract Holder

975

fabric color

ONYX 2016



Smooth and simple ride. Synchronized

movement between seat and back. Any

PRHB04

application.

- Designed for the larger sized individual as a high back chair
- Proportionally scaled seat and back
- Convex back

- 4" seat foam
- Soft and supple sit
- Partial assembly required

| | | | 300 lb. Ca | All price | es are LIST | | |
|-----------------------|--|-----|------------|------------|-----------------|---------|------|
| Arm Options | Arm Pad Options (default pad in bold) | 1 | COM 2 | Uphol 3 | stery Grad 4 | le 5 | 6 |
| armless | - | 795 | 835 | 875 | 915 | 975 | 1035 |
| DA drop away | BAP, BT | 920 | 960 | 1000 | 1040 | 1100 | 1160 |
| AT/AW adj. T | BAP, BT | 930 | 970 | 1010 | 1050 | 1110 | 1170 |
| ATS adj. T | BAP, BT | 935 | 975 | 1015 | 1055 | 1115 | 1175 |
| ATS/AW adj. T | BAP, BT | 950 | 990 | 1030 | 1070 | 1130 | 1190 |
| MAT/AW multi-function | - | 995 | 1035 | 1075 | 1115 | 1175 | 1235 |

Ships with CC01 hooded carpet casters and CY02 height cylinder

| | | | | | 300 lb. Ca | | All prices are LIST | | |
|--|--|-----------------------|-----------------------|------|------------|-------|---------------------|------|------|
| | | | Arm Pad Options | | СОМ | Uphol | stery Grad | e | |
| Model | | Arm Options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| PRHB08 | multi tilter ratchet back | armless | - | 940 | 980 | 1020 | 1060 | 1120 | 1180 |
| Use in applications that require maximum | | DA drop away | BAP, BT | 1065 | 1105 | 1145 | 1185 | 1245 | 1305 |
| ergonomic contro | tipurpose full 6 function ol. Recommended for its | AT/AW adj. T | BAP , BT | 1075 | 1115 | 1155 | 1195 | 1255 | 1315 |
| infinite range and ease of adjustments. | | ATS adj. T | BAP, BT | 1080 | 1120 | 1160 | 1200 | 1260 | 1320 |
| | | ATS/AW adj. T | BAP, BT | 1095 | 1135 | 1175 | 1215 | 1275 | 1335 |
| | | MAT/AW multi-function | - | 1140 | 1180 | 1220 | 1260 | 1320 | 1380 |

Ships with CC01 hooded carpet casters and CY02 height cylinder

| Most popular | r (recommended) | 300 lb. Capacity | | | | | All prices are LIST | | |
|------------------|--|-----------------------|-----------------------|------|------|------|---------------------|------|------|
| Model | | | Arm Pad Options | | СОМ | | stery Grad | le | |
| | | Arm Options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| PRHB09 | multi tilt ratchet back integrated seat slider | armless | - | 970 | 1010 | 1050 | 1090 | 1150 | 1210 |
| , | application. An all inclusive | DA drop away | BAP , BT | 1095 | 1135 | 1175 | 1215 | 1275 | 1335 |
| ratchet back hei | e price. Includes an internal ght adjustment and seat | AT/AW adj. T | BAP , BT | 1105 | 1145 | 1185 | 1225 | 1285 | 1345 |
| slider. | | ATS adj. T | BAP, BT | 1110 | 1150 | 1190 | 1230 | 1290 | 1350 |
| | | ATS/AW adj. T | BAP, BT | 1125 | 1165 | 1205 | 1245 | 1305 | 1365 |
| | | MAT/AW multi-function | - | 1170 | 1210 | 1250 | 1290 | 1350 | 1410 |

Ships with CC01 hooded carpet casters and CY02 height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 22" seat depth 23"

seat height from floor 16"-21

back width 21" back height 25.5"-28.5" Weight:

52 lbs.

COM Requirements: 2 yards per chair



Mechanism Functions

PRONTOSeries - Highback

model

PRHB04

Synchro Tilter

(2 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, synchronized tilt between seat and back, free floats in unlocked position, 3 position tilt lock, tilt tension control, internal ratchet back height adjustment.

TO ORDER, please specify:

EXAMPLE




AT/AW adj. T includes height and width adjustment

Multi Tilter

(3 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adiustment.



Multi Tilt w/Integrated Seat Slider

(4 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment, side activated sliding seat pan.

Arm Options

AT/AW

arm pad



DA drop away



back panel

SB

options

HC01

(default pad if none specified except for ATS)

Arm Pad Options



BT bullet arm pad



ATS/AW adj. T includes height and width adjustment



MAT/AW multi-function (no arm pad option)

Back Panel Options

SB Standard upholstered back panel. (DEFAULT)

fabric pattern

ANCHORAGE

- Ballistic nylon back recommended (no upcharge)
- Bumper back trim recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered a 45 list upcharge applies. Refer to web site for BP color selections.

DEFAULT IS SB UNLESS SPECIFIED OTHERWISE

Additional Options MODEL# ADD CAL133 California Technical Bulletin 133 160 MF 120 1" layer memory foam over upgraded high density foam seat EF 1" extra seat foam 80 SS Sliding seat depth adjustment 100 (not available with PRHB08 & stools) GLBG Stationary bell glides (set of 5) 45 HC01 Hard floor/multisurface casters (set of 5) 45 MSLC Self-braking hard floor casters brake when unoccupied (set of 5) MSRLC Self-braking hard floor casters 75 brake when occupied (set of 5) "Sure Grip" footring 100

1305

fabric color

ONYX 2016

Chair Version

Heavy Duty Multi-Shift

- 24/7 Multi-shift intensive-use environments
- Heavy-duty components
- · Accommodates most individuals as a mid-sized chair
- Proportionally scaled seat and back
 - Built for extreme conditions
 - Partial assembly required
 - Memory foam seat

350 lb. Capacity

All prices are LIST

| Model | | | Arm Pad Options | | СОМ | Upholstery Grade | | | |
|---|--------------------------|-----------------------|-----------------------|------|------|------------------|------|------|------|
| | | Arm Options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| PRMB01HD | basic task fixed back | armless | - | 965 | 1005 | 1045 | 1085 | 1115 | 1205 |
| Basic task situations that require minimal | | DA drop away | BAP, BT | 1090 | 1130 | 1170 | 1210 | 1270 | 1330 |
| adjustments. Stool options available on PRMB01HD | | AT/AW adj. T | BAP, BT | 1100 | 1140 | 1180 | 1220 | 1280 | 1340 |
| | | ATS adj. T | BAP, BT | 1105 | 1145 | 1185 | 1225 | 1285 | 1345 |
| | | ATS/AW adj. T | BAP, BT | 1120 | 1160 | 1200 | 1240 | 1300 | 1360 |
| | | MAT/AW multi-function | - | 1135 | 1205 | 1245 | 1285 | 1345 | 1405 |

Ships with CC01-HD hooded carpet casters and CY02-HD height cylinder

| | | | 350 lb | . Capacity | | | All price | es are LIST |
|--|-----------------------|------------------------|--------|------------|-------|------------|-----------|-------------|
| امادمان | A O ki | Arm Pad Options | | СОМ | Uphol | stery Grad | е | |
| Model | Arm Options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| PRMB08HD multi tilter ratchet back | armless | - | 1175 | 1215 | 1255 | 1295 | 1355 | 1415 |
| Use in applications that require maximum adjustability. Multipurpose full 6 function | DA drop away | BAP, BT | 1300 | 1340 | 1380 | 1420 | 1480 | 1540 |
| ergonomic control. Recommended for its in- | AT/AW adj. T | BAP, BT | 1310 | 1350 | 1390 | 1430 | 1490 | 1550 |
| inite range and ease of adjustments. | ATS adj. T | BAP, BT | 1315 | 1355 | 1395 | 1435 | 1495 | 1555 |
| | ATS/AW adj. T | BAP, BT | 1330 | 1370 | 1410 | 1450 | 1510 | 1570 |
| | MAT/AW multi-function | - | 1375 | 1415 | 1455 | 1495 | 1555 | 1615 |

Ships with CC01-HD hooded carpet casters and CY02-HD height cylinder

| Most popular (recommended) | | 350 lb. Capacity | | | | All pric | es are LIST | |
|--|-----------------------|------------------------|------|------|-------|------------|-------------|------|
| Model | Arm Options | Arm Pad Options | | СОМ | Uphol | stery Grad | e | |
| Model | Aim options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| PRMB09HD multi tilter ratchet back integrated seat slider | armless | - | 1205 | 1245 | 1285 | 1325 | 1385 | 1445 |
| Perfect for any application. An all inclusive control at a value price. Includes an internal | DA drop away | BAP, BT | 1130 | 1370 | 1410 | 1450 | 1510 | 1570 |
| ratchet back height adjustment and seat slider. | AT/AW adj. T | BAP, BT | 1340 | 1380 | 1420 | 1460 | 1520 | 1580 |
| silder. | ATS adj. T | BAP, BT | 1345 | 1385 | 1425 | 1465 | 1525 | 1585 |
| | ATS/AW adj. T | BAP, BT | 1360 | 1400 | 1440 | 1480 | 1540 | 1600 |
| | MAT/AW multi-function | - | 1405 | 1445 | 1485 | 1525 | 1585 | 1645 |

Ships with CC01-HD hooded carpet casters and CY02-HD height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 20.5" seat depth 17.5"

seat height from floor chair version 16.5"-20.5" stool version 23"-31"

back width 18" back height 20.5"-23.5" Weight: approx. 54-58 lbs.

COM Requirements: 2 yards per chair

FREIGHT PROGRAM 11 or fewer \$25 net per chair 12 or more **free** shipping

Mechanism Functions

TO ORDER, please specify:

EXAMPLE

Basic Task -**Heavy Duty Version**

(1 paddle)

Multi Tilter -**Heavy Duty Version**

(3 paddles)

adjustment.

Swivels 360°, pneumatic cylinder seat height adjustment, back depth adjustment.

Arm Options

AT/AW

arm pad

PRONTOSeries - 24/7 Midback

model

PRMB09HD



DA drop away



Arm Pad Options

back panel

options


HC01-HD

(default pad if none specified except for ATS)



VF fixed chrome with soft urethane pad





AT/AW adi. T includes height and width adjustment




Multi Tilt w/Integrated Seat Slider **Heavy Duty Version**

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle

(4 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment, side activated sliding seat pan.

ATS adj. T height adjustment



ATS/AW adj. T includes height and width adjustment



MAT/AW multi-function (no arm pad option)

Back Panel Options

Standard upholstered back panel. (DEFAULT)

fabric pattern

ANCHORAGE

- Ballistic nylon back recommended (no upcharge)
- Bumper back trim recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered a 45 list upcharge applies. Refer to web site for BP color selections.

DEFAULT IS SB UNLESS SPECIFIED OTHERWISE

Additional Options

| MODEL# | | <u>ADD</u> |
|---------|--|------------|
| CAL133 | California Technical Bulletin 133 | 160 |
| EF | 1" extra seat foam | 80 |
| GLBG | Stationary bell glides (set of 5) | 45 |
| HC01-HD | Hard floor casters (set of 5) | 45 |
| MSLC | Self-braking hard floor casters brake when unoccupied (set of 5) | 70 |
| MSRLC | Self-braking hard floor casters brake when occupied (set of 5) | 75 |
| SP-HD | Stool package (with PRMB01HD controls only). Includes 8" cylinder and "Sure Grip" footring. Seat height extends from 20"-28". | 200 |
| XSP-HD | Ext. stool package (with PRMB01HD controls only). Includes 10" cylinder and "Sure Grip" footring. Seat height extends from 22"-32". | 225 |
| FR20 | "Sure Grip" footring | 100 |

Warranty: 24/7 Multi-Shift Series

Standard published warranty terms and conditions apply with the following changes: 5 years on all components and 2 years on fabric and foam.

Chair Version

Multi-Shift Heavy Duty

- 24/7 Multi-shift intensive-use environments
- Heavy-duty components

MAT/AW multi-function

- · Accommodates most individuals as a high-back chair
- · Proportionally scaled seat and back
- · Built for extreme conditions
- Partial assembly required
- Memory foam seat

350 lb. Capacity

All prices are LIST

| Model | | Arm Ontions | Arm Pad Options | | СОМ | Upholstery Grade | | | |
|-------------------|---|-----------------------|-----------------------|------|------|------------------|------|------|------|
| | | Arm Options | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| PRHB01HD | basic task fixed back | armless | - | 1045 | 1085 | 1125 | 1165 | 1225 | 1285 |
| | uations that require minimal available on PRHB01HD | DA drop away | BAP, BT | 1170 | 1210 | 1250 | 1290 | 1350 | 1410 |
| adjustments. | | AT/AW adj. T | BAP, BT | 1180 | 1220 | 1260 | 1300 | 1360 | 1420 |
| Stool options ava | | ATS adj. T | BAP, BT | 1185 | 1225 | 1265 | 1305 | 1365 | 1425 |
| | | ATS/AW adj. T | BAP, BT | 1200 | 1240 | 1280 | 1320 | 1380 | 1440 |
| | | MAT/AW multi-function | - | 1245 | 1285 | 1325 | 1365 | 1425 | 1485 |

Ships with heavy duty CC01-HD hooded carpet casters and CY02-HD height cylinder

| | | 350 lb. Capacity | | | | All price | All prices are LIST | |
|--|---------------------|-----------------------|------|------|-------|------------|---------------------|------|
| | Arm Options | Arm Pad Options | | СОМ | Uphol | stery Grad | e | |
| Model | | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| PRHB08HD multi tilter ratchet back | armless | - | 1095 | 1135 | 1175 | 1215 | 1275 | 1335 |
| Use in applications that require maximum adjustability. Multipurpose full 6 function | DA drop away | BAP , BT | 1220 | 1260 | 1300 | 1340 | 1400 | 1460 |
| ergonomic control. Recommended for its infinite range and ease of adjustments. | AT/AW adj. T | BAP , BT | 1230 | 1270 | 1310 | 1350 | 1410 | 1470 |
| milite range and ease or adjustments. | ATS adj. T | BAP, BT | 1235 | 1275 | 1315 | 1355 | 1415 | 1475 |
| | ATS/AW adj. T | BAP, BT | 1250 | 1290 | 1330 | 1370 | 1430 | 1490 |
| | | | | | | | | |

Ships with heavy duty CC01-HD hooded carpet casters and CY02-HD height cylinder

| Most popular (r | lost popular (recommended) | | | | | 350 lb. Capacity | | | |
|-------------------|--|-----------------------|---------------------------|------|------|------------------|------------|------|------|
| Model | | Arm Options | m Ontions Arm Pad Options | | COM | • | stery Grad | | |
| oue. | | rum opuone | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| PRHB09HD | multi tilter ratchet back integrated seat slider | armless | - | 1125 | 1165 | 1205 | 1245 | 1305 | 1365 |
| , , | Perfect for any application. An all inclusive control at a value price. Includes an internal ratchet back height adjustment and seat slider. | DA drop away | BAP, BT | 1250 | 1290 | 1330 | 1370 | 1430 | 1490 |
| ratchet back heig | | AT/AW adj. T | BAP, BT | 1260 | 1300 | 1340 | 1380 | 1440 | 1500 |
| Siluei. | | ATS adj. T | BAP, BT | 1265 | 1305 | 1345 | 1385 | 1445 | 1505 |
| | | ATS/AW adj. T | BAP, BT | 1280 | 1320 | 1360 | 1400 | 1460 | 1520 |
| | | MAT/AW multi-function | - | 1325 | 1365 | 1405 | 1445 | 1505 | 1565 |

Ships with heavy duty CC01-HD hooded carpet casters and CY02-HD height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 22" seat depth 20"

seat height from floor chair version 16.5"-20.5" stool version 23"-31"

back width 20" back height 23.5"-26.5"

1295

1335

1375

1415

1475

1535

Weight: approx. 56-60 lbs. COM Requirements: 2 yards per chair



PRONTOSeries - 24/7 Highback

TO ORDER, please specify: model arm pad back panel options fabric pattern fabric color price **EXAMPLE** PRHB09HD AT/AW HC01-HD **ANCHORAGE** ONYX 1385

Mechanism Functions

Basic Task -**Heavy Duty Version**

(1 paddle)

Multi Tilter -

(3 paddles)

adjustment.

Seat Slider

(4 paddles)

Heavy Duty Version

Multi Tilt w/Integrated

Swivels 360°, pneumatic cylinder seat

height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment, side activated sliding seat pan.


Heavy Duty Version

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle

Swivels 360°, pneumatic cylinder seat height adjustment, back depth adjust-

Arm Options


DA drop away



AT/AW adj. T includes height and width adjustment



ATS adj. T height adjustment



ATS/AW adj. T includes height and width adjustment



MAT/AW multi-function (no arm pad option)

Arm Pad Options


BAP Buzz arm pad

(default pad if none

specified except for ATS)

BT bullet arm pad

Standard upholstered back panel. (DEFAULT)



Bumper back trim – recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Back Panel Options

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered a 45 list upcharge applies. Refer to web site for BP color selections.

DEFAULT IS SB UNLESS SPECIFIED OTHERWISE

Additional Options

| | Additional Options | |
|---------|--|------------|
| MODEL# | | <u>ADD</u> |
| CAL133 | California Technical Bulletin 133 | 160 |
| EF | 1" extra seat foam | 80 |
| GLBG | Stationary bell glides (set of 5) | 45 |
| HC01-HD | Hard floor casters (set of 5) | 45 |
| MSLC | Self-braking hard floor casters brake when unoccupied (set of 5)70 | 70 |
| MSRLC | Self-braking hard floor casters brake when occupied (set of 5)) | 75 |
| SP-HD | Stool package (with PRHB01HD controls only). Includes 8" cylinder and "Sure Grip" footring. Seat height extends from 20"-28". | 200 |
| XSP-HD | Ext. stool package (with PRHB01HD controls only). Includes 10" cylinder and "Sure Grip" footring. Seat height extends from 22"-32". | 225 |
| FR20 | "Sure Grip" footring | 100 |
| | | |

Warranty: 24/7 Multi-Shift Series

Standard published warranty terms and conditions apply with the following changes: 5 years on all components and 2 years on fabric and foam.

Heavy Duty

24/7 Multi-Shift

Ships partially assembled.

All prices are LIST

350 lb. Capacity

| | | | | | | , | | |
|---------------------------------|-----------------------|-----------------------|------|------|------------------|------|------|------|
| Madal | Arm Options | Arm Pad Options | | СОМ | Upholstery Grade | | | |
| Model | | (default pad in bold) | 1 | 2 | 3 | 4 | 5 | 6 |
| PRM04HD synchro tilt fixed back | armless | - | 900 | 930 | 960 | 1015 | 1070 | 1125 |
| HIGHBACK | DA drop away | BAP, BT | 1025 | 1055 | 1085 | 1140 | 1195 | 1250 |
| Meribriek | ATS adj. T | BAP, BT | 1025 | 1055 | 1085 | 1140 | 1195 | 1250 |
| | ATS/AW adj. T | BAP, BT | 1040 | 1170 | 1100 | 1155 | 1210 | 1265 |
| 7 | MAT/AW multi-function | - | 1100 | 1230 | 1160 | 1215 | 1270 | 1325 |
| T I | | | | | | | | |

Upgrades include: Heavy density seat foam with memory foam topper

Ships with CC07-SL non-hooded carpet casters and CY06 height cylinder

Mechanism Functions

Synchro Tilter


(2 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, synchronized tilt between seat and back, free floats in unlocked position, 4 position tilt lock, tilt tension control.


Arm Options

MAT/AW multi-function

(no arm pad option)



DA drop away



ATS/AW adj. T includes height and width adjustment





BAP Buzz arm pad (default pad if none specified except for ATS)



BT bullet arm pad (recommended & default for ATS)

| | Additional Options | |
|-----------|---|-----|
| MODEL# | | ADD |
| CAL133 | California Technical Bulletin 133 | 100 |
| EF | 1" extra seat foam | 80 |
| SS (MESH) | Sliding seat depth adjustment (Not available on stools. AW (adj. width arm brackets) cannot be included if SS (sliding seat depth adjustment) is ordered) | 100 |
| GLBG | Stationary bell glides (set of 5) | 45 |
| HC07 | Hard floor casters (set of 5) | 45 |
| *SP | Stool package includes 8" cylinder and "Sure Grip" footring. Seat height extends from 24"-32". | 135 |
| FR20 | "Sure Grip" footring | 100 |

*When converting to a stool, the tilt feature is disengaged by the factory before shipping.

Warranty: 24/7 Multi-Shift Series

Standard published warranty terms and conditions apply with the following changes: 5 years on all components and 2 years on fabric and foam.

Actual dimensions will vary depending on model and options selected. Dimensions: seat width 21" back width 20.5" seat depth 21" back height 22"

seat height from floor 16"-23" approx. 40 lbs.

Weight: COM Requirements: 1 yard per chair


TO ORDER, please specify: arm pad options fabric pattern fabric color price model PRM04HD ATS 1105 EXAMPLE BT EF ANCHORAGE ONYX



PRONTOSeries-Sit Stand

- Upholstered seat
- · Infinite angle lock
- Tension adjustment

- · Weight activated locking casters
- Partial assembly required



All prices are LIST

| Madal | | | COM | Upholstery Grade | | | | |
|-----------|----------------------------|-----|-----|-------------------------|------|------|------|--|
| Model | | 1 | 2 | 3 | 4 | 5 | 6 | |
| PR00-CY05 | 10" cylinder only | 885 | 900 | 915 | 930 | 950 | 980 | |
| PR00-XSP | 10" cylinder and foot ring | 980 | 995 | 1010 | 1025 | 1045 | 1075 | |

Ships with MSRLC hooded multipurpose casters

| | Additional Options | |
|--------|-----------------------------------|-----|
| MODEL# | | ADD |
| CAL133 | California Technical Bulletin 133 | 100 |
| GLBG | Stationary bell glides (set of 5) | N/C |





20" Footring

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 18"

seat depth 16" seat height from floor 26"-36"

approx. 29 lbs. COM Requirements: 1 yard per chair

TO ORDER, please specify: model options fabric pattern fabric color price EXAMPLE PR00-CY05 GLBG DILLON BLACK 885





All prices are LIST

- Upholstered seat and black mesh back
- Synchro-tilt with 4-position lock
- Free floats in unlocked position
- Tilt tension adjustment
- Seat slider

- Adjustable lumbar support
- Multifunction arms on chair
- Height and width adjustable arms on stool
- Non-hooded carpet casters
- 300 lb. capacity
- · Ships KD with assembly required
- Ruick Ship (Stock Black Upholstery)



| Model | Seat Height | Fabric Color | List |
|---------------------------|-------------|--------------|------|
| RIK-FAB STK BLK | 18"-22" | Stock Black | 1045 |
| RIK-FAB-SP STK BLK Stool* | 23"-31" | Stock Black | 1180 |
| RIK-FAB-XSP STK BLK | 25"-35" | Stock Black | 1200 |



| Model | Seat Height | | СОМ | Uphols | stery Gra | ide | |
|----------------------|-------------|------|------|--------|-----------|------|------|
| Wodei | Seat neight | 1 | 2 | 3 | 4 | 5 | 6 |
| <u>RIK-FAB</u> | 19"-21.5" | 1100 | 1140 | 1165 | 1225 | 1285 | 1335 |
| RIK-FAB-SP Stool* | 23"-31" | 1235 | 1275 | 1300 | 1360 | 1420 | 1470 |
| RIK-FAB-XSP | 25"_35" | 1255 | 1295 | 1320 | 1380 | 1440 | 1490 |

*Stool version non-tilting. Seat-height adjustment only. Stool ships with 20" footring.



Stool*



Stock Black Stock Black Mesh Back

Dimensions

Actual dimensions will vary depending on model and options selected.

| seat width: | 20" |
|--------------|------------|
| seat depth: | 20"-22.25" |
| back width: | 21" |
| back height: | 23.5" |

seat height from floor (chair): 18"-22" seat height from floor (stool): 23"-31" seat height from floor (extended stool): 25"-35" If upgrading to PAB add 1" to seat height. MODEL# <u>ADD</u> RAHR Adj. headrest black mesh 130 BASE-PAB Polished aluminum base 130 (raises seat height) HC07 Non-hooded hard-floor casters (set of 5) 45 DA Drop-away arms 125 (not available on stools)

Additional Options

Weight: Chair 45 lbs Stool 52 lbs

COM Requirement: 1 yard per chair

| TO ORDER, please specify: | model | fabric pattern | fabric color | fabric grade | price | options/cost | total price |
|---------------------------|---------|----------------|--------------|--------------|-------|--------------|-------------|
| EXAMPLE | RIK-FAB | ANCHORAGE | ONYX2016 | 1 | 1100 | RAHR/\$130 | 1230 |





RIKA[®]Chair Mesh Seat / Mesh Back

- · Black or gray mesh seat and back
- Synchro-tilt with 4-position lock
- · Free floats in unlocked position
- Tilt tension adjustment
- · Seat slider

- · Adjustable lumbar support
- · Multifunction arms on chair
- · Height and width adjustable arms on stool
- · Non-hooded carpet casters
- 300 lb. capacity
- · Ships KD with assembly required
- Ruick Ship



| Model | Seat Height | Mesh Color | List |
|--------------|-------------|------------|------|
| RIK-B | 18"-22" | Black | 1195 |
| <u>RIK-G</u> | 18"-22" | Gray | 1195 |
| | | | |



| RIK-B-SP Stool* | 23"-31" | Black | 1330 |
|---------------------|---------|-------|------|
| RIK-B-XSP Stool* | 25"-35" | Black | 1345 |

*Stool version non-tilting. Seat-height adjustment only. Stool ships with 20" footring.







MODEL#

BASE-PAB

RAHR

HC07

DA

Dimensions Actual dimensions will vary depending on model and options selected.

seat width: 20" seat depth: 20"-22.25" back width: back height: 23.5"

seat height from floor (chair): 18"-22" seat height from floor (stool): 23"-31" seat height from floor (extended stool): 25"-35" If upgrading to PAB add 1" to seat height. Weight: Chair 45 lbs Stool 52 lbs

Non-hooded hard-floor casters (set of 5) 45

Additional Options

Adj. headrest black mesh

Polished aluminum base

(not available on stools)

(raises seat height)

Drop-away arms

| TO ORDER, please specify: | model | price | options/cost | total price |
|---------------------------|-------|-------|--------------|-------------|
| EXAMPLE | RIK-B | 1195 | RAHR/\$130 | 1325 |





<u>ADD</u>

130


RIKA[®]Chair

Genuine Leather Seat / Mesh Back

- · Genuine leather seat and black mesh back
- · Aluminum package
- · 6 leather colors
- Synchro-tilt with 4-position lock
- · Free floats in unlocked position

- · Tilt tension adjustment
- · Seat slider
- · Adjustable lumbar support
- Multifunction arms

- · Non-hooded carpet casters
- · 300 lb. capacity
- · Ships KD with assembly required
- Ruick Ship





Dimensions

Actual dimensions will vary depending on model and options selected.

seat width: 20"
seat depth: 20"-22.25"
back width: 21"
back height: 23.5"

seat height from floor: 18"-22"
For black poly black base, subtract 1"

| Additional Options | | | | |
|--------------------|---------------------------------------|-----|--|--|
| MODEL# | | ADD | | |
| RAHR | Adj. headrest black mesh | 130 | | |
| BASE-PBB | Poly black base (reduces seat height) | NC | | |
| HC07 | Hard floor casters (set of 5) | 45 | | |
| DA | Drop-away arms | 125 | | |

Weight: Chair 46 lbs

| TO ORDER, please specify: | model | price | options/cost | total price |
|---------------------------|----------|-------|--------------|-------------|
| EXAMPLE | RIK-L-BK | 1355 | RAHR/\$130 | 1485 |





24/7 Multi-Shift



Patent No: US 10,426,269 B1 Patent No: US 10,945,530 B2 Patent No: US 11,812,871 B2

- Provides freedom of movement
- Heavy-duty components
- · Built to last

- · Heavy-duty synchro mechanism
- Standard and heavy-duty version
- Ballistic nylon

- Multi-surface casters
- Drop-away arms
- Partial assembly required

Extended shipping time required.



| | | | 350 lb. Capacity | All prices are LIST |
|-------------------------|----------------------------------|---------------------|----------------------|---------------------|
| Model | | Arm Options | Ballistic Nylon 3 | |
| SH04 | synchro/seat slider ratchet back | armless | 1710 | |
| 19-23.5" seat height ra | inge. | DA drop away | 1835 | |

Ships with 5-prong 27" nylon base and CY02-HD height cylinder

| Ţ | | | | J |
|---|---|---|---------------------------------------|---|
| 5 | 7 | * | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | 3 |

500 lb. capacity

| | | | 500 lb. Capacity | All prices are LIST |
|----------------------|-------------------------------------|---------------------|----------------------|---------------------|
| Model | | Arm Options | Ballistic Nylon 3 | |
| SH04HD | synchro/seat slider ratchet back | armless | 2085 | |
| 19-23.5" seat height | t range. | DA drop away | 2210 | |

Ships with 6-prong 27" steel base and CY02-SHD height cylinder



| | | | 350 lb. Capacity | All prices are LIST |
|-------------------------|----------------------------|---------------------|----------------------|---------------------|
| Model | | Arm Options | Ballistic Nylon 3 | |
| SH01HD-SP | basic task ratchet back | armless | 2200 | |
| 24.75" - 32" seat heigh | t range. | DA drop away | 2325 | |

Ships with 6-prong 27" steel base and heavy duty multi-surface casters

Stool Version

350 lb. capacity

| stual dimensions will vary depending on model and ontions sele | ^ |
|--|---|

seat width 22" seat depth 21"-23.5" approx. 59 lbs. chair approx. 90 lbs. heavy duty chair

GSA Contract Holder

back width 22" back height range 24"-29" seat height range, chair 19.5"-24" seat height range, stool 24.75"-32"





Ballistic Colors







Camo/Black Combo Coyote/Black Combo Olive/Black Combo

All Black





Mechanism Functions

SHIELD Chair

<u>Synchro Tilter -</u> <u>Heavy Duty Version</u>

(2 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, synchronized tilt between seat and back, free floats in unlocked position, 4 position tilt lock, tilt tension control, internal 5" ratchet back height adjustment, integrated seat slider.





DA drop away

Arm Pad


BAP Buzz arm pad

BB Ballistic nylon back standard

Buzz Seating is not responsible for back panel wear or tear.

Back Panel Options

Additional Options MODEL# <u>ADD</u> **CAL133** California Technical Bulletin 133 165 GLBG 45 Stationary bell glides (set of 5) MSLC Self-braking hard floor casters 75 brake when unoccupied (set of 5) (SH04 only) Self-braking hard floor casters 75 brake when occupied (set of 5) (SH04 only) FR20 100 "Sure Grip" footring Lumbar Pillow 175



Don't be fooled by others. There is only one patented "Shield Chair".



Patent No: US 10,426,269 B1 Patent No: US 10,945,530 B2 Patent No: US 11,812,871 B2

Warranty: Shield Series

Standard published warranty terms and conditions apply with the following changes: 10 years on all components, 5 years on fabric and foam. If chairs are to be used for multi-shift applications which is defined as use exceeding 8 hours per day, 5 days per week, then multi-shift warranty applies: 5 years on components and 2 years on fabric and foam.

| TO ORDER, please specify: | model | arm | ballistic nylon color | price | options/cost | total price | |
|---------------------------|-------|-----|-----------------------|-------|--------------|-------------|--|
| EXAMPLE | SH04 | DA | COYOTE | 1835 | MSLC/\$75 | 1910 | |







- · Chair or stool
- · 360-degree swivel
- · Adjustable seat height
- · Powder-coated steel back bar supports
- · Back tilt with tension adjustment
- · Armless or cantilever fixed arms
- · Flexible poly back
- · Hooded carpet casters

- · Black nylon base
- · Ships partially assembled
- 300 lb. weight capacity

All prices are LIST



| Model | Arm Ontions | Upholstery Grade | | | | | |
|-----------|-------------|------------------|----------|-----|-----|-----|-----|
| Wodel | Arm Options | 1 | COM 2 | 3 | 4 | 5 | 6 |
| <u>SN</u> | Armless | 525 | 550 | 580 | 610 | 670 | 725 |



SN FA Cantilevered Fixed Arms 760 560 585 615 645 705



Powder-coated steel back rest support



Perforated plastic back shell



Cantilevered Fixed Arms





| | Additional Options | |
|--------|---|------------|
| MODEL# | | <u>ADD</u> |
| URSEAT | Black urethane seat | 100 |
| XSP | Extended stool package | 155 |
| GLBG | Stationary bell glides (set of 5) | 45 |
| HC01 | Hard floor casters (set of 5) | 45 |
| MSLC | Self-braking hard floor casters brake when unoccupied (set of 5) | 75 |
| MSRLC | Self-braking hard floor casters brake when occupied (set of 5) (use with plastic base only) | 75 |
| CAL133 | California Technical Bulletin 133 | 100 |

Dimensions

Actual dimensions will vary depending on model and options selected.

seat width: 18" overall width: 18" armless seat depth: 17" back width: 18" overall width: 23.5" with arms overall depth: 21.5" overall depth: back height: 23.5" overall height: 35.5" - 40"

seat height from floor: 18.5"-23"

Weight: approx. 24 lbs.

COM Requirement: .75 yard per chair

TO ORDER, please specify:

model

fabric pattern

fabric color

fabric grade

price

EXAMPLE

SN FA

DILLON

BLACK

560

options/cost HC01/\$45

total price 605

Contract Holder

Arm Options

Lifetime Warranty



DA Drop Away Adjustable T-Arm

Adjustable 2.5" in height and can be dropped completely rearward with tension adjustment. Available with any arm pad option.

DA add 125 list



AT/AW Adjustable T-Arm

Traditional style. Adjustable 2.5" in height. Arms can be adjusted out from the seat an additional 2" on each side. Available with any arm pad option.

AT/AW add 135 list



ATS Adjustable T-Arm

Contemporary style. Adjustable 2.5" in height. Available with any arm pad option.

ATS add 140 list

ATS/AW Adjustable T-Arm including Width Adjustment Brackets

ATS contemporary style adjustable T-Arm includes AW adjustable width brackets. Adjustable 2.5" in height. Arms can be adjusted out from the seat an additional 2" on each side. Available with any arm pad option.

ATS/AW add 155 list



MAT/AW Multi-Function Arm

Adjusts 2.5" in height. Pads have center pivot point and rotate 22" in and out (2 separate directions). Additionally, pads slide forward and rearward with 2" of travel. Width adjustable brackets included.

MAT/AW add 200 list



AL Adjustable Loop Arm

Urethane. Adjust 2.5" in height
Use with Big & Tall, Shield, Pronto 24/7.

AL add 200 list

Casters

Definitions

Carpet Caster - Hard wheel for use on soft surfaces such as carpet

Hard Floor Caster – Soft wheel for use on tile, wood, vinyl, concrete or any other hard surface

Multi-Surface Caster – Hard wheel for use on all floor types

Locking Caster – Casters do not allow the chair to roll when nobody is seated in chair



Hooded Cast

Pronto/Snap/Melo Basic & Medical Stool

Black hooded caster

CC01 - Carpet casters add 45 list / set of 5

HC01 – Hard floor casters add **45** list / set of 5

Jem/Caboodle

Large wheel black hooded caster

CC02 - Carpet casters add 46 list / set of 4

HC02 - Hard floor casters add 46 list / set of 4

Rika/Melo/Pronto Mesh/Dandy/Nifty

Black non-hooded caster CC07 – Black carpet casters add 45 list / set of 5 CC07-SL – Black & silver carpet casters add 45 list / set of 5

HC07 – Hard floor casters add **45** list / set of 5

Jem/Melo Side

Small wheel black caster

CC09 - Black carpet casters add 46 list / set of 4 HC09 - Hard floor casters add 46 list / set of 4 Non-Hooded Cas

Reverse Locking Caster – Casters do not allow the chair to roll when someone is seated in chair

Hooded Caster - Wheels are covered by a "Hood"

Non-Hooded Caster - Casters are exposed



Pronto HD/Shield/Big & Tall

Black non-hooded caster

CC01-HD - Carpet casters add 75 list / set of 5

HC01-HD - Hard floor casters add 75 list / set of 5

Shield HD/Big & Tall HD

Black non-hooded caster

 \mbox{MSSHD} – Multi-surface add $\mbox{\bf 75}$ list / set of 6

Universal Chrome Caster

Chrome hooded caster

CCCH – Carpet casters add **52** list / set of 5

HCCH – Hard floor casters add 52 list / set of 5

Universal Locking Caster

Black hooded caster

MSLC - Multi-surface add 69 list / set of 5



Universal Reverse Locking Caster

Black hooded caster

MSRLC - Multi-surface casters add 75 list / set of 5

Jem/Melo Side

Black nylon caster **GL07** add **29** list / set of 4

Universal Bell Glide

Black nylon glide caster **GLBG** add **41** list / set of 5

Arm Pad Options



BAP Buzz arm pad profile (default pad if none specified except for ATS) add 40 list per pair



BT bullet arm pad profile (recommended and default for ATS) add 40 list per pair

Accessories




Ballistic nylon back

Can be applied for added strength. Prevents scratching or tearing of fabric. Black in color. Used in place of plastic backs.

BB No upcharge

*ordered in conjunction with **BP** bumper guard add **50** list

Entire chair - Grade 5 list



Bumper back trim

Vinyl strip attached to the outer perimeter of the rear back panel of chair to protect against edge back wear. Available in 6 colors that can be color coordinated with fabric or vinyl. Refer to web site for color selections.

BP No upcharge

*ordered in conjunction with **BB** ballistic nylon add **50** list



Sliding seat pan

Allows the seat to be adjusted to different depth settings. Permits 2.5" of travel at multiple lock-in points.

Refer to specific model for pricing



1" Additional seat foam

Add for increased seat comfort.

EF - Refer to specific series for pricing **MF** - Refer to specific series for pricing



Standard stool package

Seat height from floor ranges from 20" to 28". Actual seat heights can vary depending upon model. Footring and 8" travel cylinder included.

Lifetime Warranty

SP add 135 list SP-HD add 196 list

Extended stool package Seat height from floor ranges from 22" to 32". Actual seat

heights can vary depending upon model. Footring and 10" travel cylinder included.

XSP add 150 list XSP-HD add 219 list



CAL 133

Fire blocker is upholstered over seat and back foam. Refer to specific series for pricing

66

Headrest

Refer to specific series for pricing

Please refer to specific chair models for available accessory options.

Parts List Customer is responsible for shipping cost for parts and upholstery.

Lifetime Warranty

LIST

PRICE

52 ea

115 ea

52 ea

52 ea

52 ea

52 ea

115 ea

52 ea

115 ea

75 ea

219 ea

115 ea

52 ea

6 ea

100 ea

| Language Customer is responsible to | r shipping cos | st for parts and | uphoistery. Litelitie v |
|--|----------------|------------------|--|
| ТЕМ | LIST PRICE | MODEL# | ITEM |
| | | BASE | |
| away (complete) - specify pad | 125 pair | BASE22 | 22" Poly Base in Blk, Dk Gray, Lt Gray, Sand |
| eight & width (complete) - | 135 pair | BASE22-A | Medical 22" Polished Aluminum Base Medical (Span (act available on steels) |
| justable height (complete) - | 140 pair | BASE23 | Medical/Snap (not availabe on stools) 23" Poly Black Base |
| ble height & width d | 155 pair | BASE24 | Snap 24" Poly Black Base |
| width (complete) | 200 pair | | Bantam/Petite/Urethane |
| ckets parately | 30 pair | BASE24-M | 24" Poly Base in Blk, Dk Gray,Lt Gray, Sand Medical/Snap |
| nt loop | 200 pair | BASE25-TH | 25" Thunder Poly Black Base |
| laced Diamond Pad) | 40 pair | | Melo/Pronto Mesh |
| | 40 pair | BASE25-THA | 25" Thunder Polished Aluminum Base Melo/Pronto Mesh |
| ight adjustable | 115 pair | BASE26 | 26" Poly Black Base Pronto MB/HB |
| Travel | 35 ea | BASE26-A | 26" Polished Aluminum Base Pronto MB/HB |
| " Travel | 35 ea | BASE27.5-HD | 27.5" Poly Black Base |
| 5" Travel | 41 ea | | Big & Tall/Shield |
| ito Mesh/Melo/Medical | 52 ea | BASE27.5-SHD | 27.5" Steel Black Base Big & Tall HD/Shield HD |
| - 5" Travel | 58 ea | BASE-PAB | Rika Polished Aluminum Base |
| 5" Travel | 58 ea | BASE-PBB | Rika Poly Black Base |
| per Heavy Duty - 5" Travel | | BACO | Base Collar (adds 3/4" to seat height |
| Travel | 46 ea | | |
| | 41 ea | | |
| 3" Travel | 58 ea | MISCELLANE | <u>ous</u> |
| y - 8" Travel | 104 ea | FR20 | 20" Sure Grip Foot Ring |
| 0" Travel | 64 ea | | |
| hrome - 10" Travel | 81 ea | | |
| Heavy Duty - 10" Travel | 127 ea | | |
| - 4" Travel | 46 ea | | |
| h Chrome - 4" Travel | 46 ea | | |
| sh Heavy Duty - 4" Travel | 58 ea | | |
| - 3" Travel | 46 ea | | |
| " Travel | 46 ea | Cont | act Customer Service for parts not sho |
| I | 46 ea | | parto not ono |
| | 46 ea | | |
| avel | 41 ea | | |
| nvel | 41 ea | | |
| ırn | 46 ea | | SHIPPING |
| /el | 46 ea | | COST APPLIES |
| | 46 ea | | 000171112120 |
| avel | 46 ea | | 0 |
| avel | 46 ea | | |
| er - 3.5" Travel | 46 ea | | Customer is responsible for |
| over Can | 35 ea | | shipping cost for parts and upholstery. |
| | | | |

Parts List Customer is responsible for shipping cost for parts and upholstery.

| Carpet Caster Hooded Carpet Caster (Black) |
|--|
| Pronto/Urethane/Snap/Melo Basic Set of 5 |
| Pronto HD/Big & Tall/ Shield |
| Caboodle/Jem set of 5 CCO7 Carpet Caster (Black) 45 Dandy/Nifty/Melo/Pronto Mesh/Rika set of 5 CCO7-SL Carpet Caster (Black & Silver) 45 Melo/Pronto Mesh set of 5 CCO9 Carpet Caster (Black) Small Wheel 45 Jem/Melo Side set of 5 CCCH Carpet Caster (Chrome) 55 set of 5 CCCH Carpet Caster (Chrome) 55 Set of 5 CCCH Carpet Caster (Chrome) 45 Pronto/Urethane/Snap/Melo Basic set of 5 CCCH Carpet Caster (Black) 75 Pronto HD/Big & Tall/Shield set of 5 CCO1-HD Hard Floor Caster (Black) 75 Caboodle/Jem set of 5 CCO2-CASTERS CACO2-CASTERS CACO3-CASTERS CACO3-CASTER (Black) 75 CACO3-CASTER (Black) A5 CACO3-CASTER (Black) Large Wheel 45 CACO3-CASTER (Black) Large Wheel 45 CACO3-CASTER (Black) Large Wheel 45 CACO3-CASTER (Black) Small Wheel 45 CACO3-CASTER CASTER (Black) 75 CACO3-CASTER CASTER (Black) 75 CACO3-CASTER CASTER CASTER (Black) 75 C |
| Dandy/Nifty/Melo/Pronto Mesh/Rika set of 5 |
| Melo/Pronto Mesh set of 5 Jem/Melo Side set of 5 Jem/Melo Side set of 5 CCCH Carpet Caster (Chrome) 55 set of 5 HARD FLOOR CASTERS HCO1 Hooded Hard Floor Caster (Black) 45 Pronto/Urethane/Snap/Melo Basic set of 5 HCO1-HD Hard Floor Heavy Duty Caster (Black) 75 Pronto HD/Big & Tall/Shield set of 5 HCO2 Hooded Hard Floor Caster (Black) Large Wheel 45 Caboodle/Jem set of 5 HCO7 Hard Floor Caster (Black) 45 Dandy/Nifty/Melo/Pronto Mesh/Rika set of 5 HCO9 Hard Floor Caster (Black) 35 HCO9 Hard Floor Caster (Black) Small Wheel 45 Jem/Melo Side set of 5 HCCH Hard Floor Caster (Chrome) 55s Set of 5 HCCH Hard Floor Caster (Chrome) 55s set of 5 HCCH Hard Floor Caster (Chrome) 55s set of 5 HCCH Hard Floor Caster (Black) 575 HCO2 Hard Floor Caster (Bla |
| Jem/Melo Side |
| HARD FLOOR CASTERS HC01 Hooded Hard Floor Caster (Black) 45 Pronto/Urethane/Snap/Melo Basic set of 5 HC01-HD Hard Floor Heavy Duty Caster (Black) 75 Pronto HD/Big & Tall/Shield set of 5 HC02 Hooded Hard Floor Caster (Black) Large Wheel 45 Caboodle/Jem set of 5 HC07 Hard Floor Caster (Black) 45 Dandy/Nifty/Melo/Pronto Mesh/Rika set of 5 HC09 Hard Floor Caster (Black) Small Wheel 45 Jem/Melo Side set of 5 HCCH Hard Floor Caster (Chrome) 55s set of 5 HCCH Glide (Black Nylon) 12 Jem (short)/Jem Arm Hole Covers set of 4 GL03 Glide (Black Nylon) 12 Jem (short)/Jem Arm Hole Covers set of 4 GL03 Glide (Black Nylon) 12 Melo Side (short) set of 4 GL05 Glide (Black Nylon) 12 LOD20 set of 4 GL06 Glide (White Nylon) 12 LOD20 set of 4 GL07 Glide (Black Nylon) 12 LOD151/157 set of 4 GL07 Glide (Black Nylon) 12 LOD151/157 set of 4 GL07 Glide (Black Nylon) 12 LOD151/157 set of 4 GL07 Glide (Black Nylon) 12 LOD151/157 set of 4 GL07 Glide (Black Nylon) 12 LOD151/157 set of 4 GL07 Glide (Black Nylon) 29 |
| HARD FLOOR CASTERS HC01 Hooded Hard Floor Caster (Black) 45 Pronto/Urethane/Snap/Melo Basic set of 5 HC01-HD Hard Floor Heavy Duty Caster (Black) 75 Pronto HD/Big & Tall/Shield set of 5 HC02 Hooded Hard Floor Caster (Black) Large Wheel 45 Caboodle/Jem set of 5 HC07 Hard Floor Caster (Black) 45 Dandy/Nifty/Melo/Pronto Mesh/Rika set of 5 HC09 Hard Floor Caster (Black) Small Wheel 45 Jem/Melo Side set of 5 HCCH Hard Floor Caster (Chrome) 55s set of 5 HCCH Glide (Black Nylon) 12 Flite set of 4 GL02 Glide (Black Nylon) 12 Jem (short)/Jem Arm Hole Covers set of 4 GL03 Glide (Black Nylon) 12 Melo Side (Short) set of 4 GL05 Glide (Black Nylon) 12 LOD20 set of 4 GL06 Glide (White Nylon) 12 LOD20 set of 4 GL07 Glide (Black Nylon) 12 LOD151/157 set of 4 GL07 Glide (Black Nylon) 12 LOD151/157 set of 4 GL07 Glide (Black Nylon) 12 LOD151/157 set of 4 GL07 Glide (Black Nylon) 12 LOD151/157 set of 4 GL07 Glide (Black Nylon) 12 LOD151/157 set of 4 GL07 Glide (Black Nylon) 29 |
| HC01 Hooded Hard Floor Caster (Black) Pronto/Urethane/Snap/Melo Basic set of 5 HC01-HD Hard Floor Heavy Duty Caster (Black) 75 Pronto HD/Big & Tall/Shield set of 5 HC02 Hooded Hard Floor Caster (Black) Large Wheel 45 Caboodle/Jem set of 5 HC07 Hard Floor Caster (Black) 45 Dandy/Nifty/Melo/Pronto Mesh/Rika set of 5 HC09 Hard Floor Caster (Black) Small Wheel 45 Jem/Melo Side set of 5 HCCH Hard Floor Caster (Chrome) 55s set of 5 GLIDES GL01 Glide (Black Nylon) 12 Flite set of 4 GL02 Glide (Black Nylon) 12 Jem (short)/Jem Arm Hole Covers set of 4 GL03 Glide (Black Nylon) 12 Melo Side (short) set of 4 GL05 Glide (Black Nylon) 12 LOD20 set of 4 GL06 Glide (White Nylon) 12 LOD20 set of 4 GL07 Glide (Black Nylon) 12 LOD151/157 set of 4 GL07 Glide (Black Nylon) 12 LOD151/157 set of 4 GL07 Glide (Black Nylon) 29 |
| Pronto/Urethane/Snap/Melo Basic set of 5 HC01-HD Hard Floor Heavy Duty Caster (Black) 75 Pronto HD/Big & Tall/Shield set of 5 HC02 Hooded Hard Floor Caster (Black) Large Wheel 45 Caboodle/Jem set of 5 HC07 Hard Floor Caster (Black) 45 Dandy/Nifty/Melo/Pronto Mesh/Rika set of 5 HC09 Hard Floor Caster (Black) Small Wheel 45 Jem/Melo Side set of 5 HCCH Hard Floor Caster (Chrome) 55s set of 5 GLIDES GL01 Glide (Black Nylon) 12 Flite set of 4 GL02 Glide (Black Nylon) 12 Jem (short)/Jem Arm Hole Covers set of 4 GL03 Glide (Black Nylon) 12 Melo Side (short) set of 4 GL05 Glide (Black Nylon) 12 LOD20 set of 4 GL06 Glide (White Nylon) 12 LOD151/157 set of 4 GL07 Glide (Black Nylon) 29 |
| Pronto HD/Big & Tall/Shield set of 5 HC02 Hooded Hard Floor Caster (Black) Large Wheel 45 Caboodle/Jem set of 5 HC07 Hard Floor Caster (Black) 45 Dandy/Nifty/Melo/Pronto Mesh/Rika set of 5 HC09 Hard Floor Caster (Black) Small Wheel 45 Jem/Melo Side set of 5 HCCH Hard Floor Caster (Chrome) 55s set of 5 GLIDES GLIDES GLO1 Glide (Black Nylon) 12 Flite set of 4 GL02 Glide (Black Nylon) 12 Jem (short)/Jem Arm Hole Covers set of 4 GL03 Glide (Black Nylon) 12 Melo Side (short) set of 4 GL05 Glide (Black Nylon) 12 LOD20 set of 4 GL06 Glide (White Nylon) 12 LOD151/157 set of 4 GL07 Glide (Black Nylon) 29 |
| Caboodle/Jem set of 5 HC07 Hard Floor Caster (Black) 45 Dandy/Nifty/Melo/Pronto Mesh/Rika set of 5 HC09 Hard Floor Caster (Black) Small Wheel 45 Jem/Melo Side set of 5 HCCH Hard Floor Caster (Chrome) 55s set of 5 GLIDES GLO1 Glide (Black Nylon) 12 Flite set of 4 GL02 Glide (Black Nylon) 12 Jem (short)/Jem Arm Hole Covers set of 4 GL03 Glide (Black Nylon) 12 Melo Side (short) set of 4 GL05 Glide (Black Nylon) 12 LOD20 set of 4 GL06 Glide (White Nylon) 12 LOD151/157 set of 4 GL07 Glide (Black Nylon) 29 |
| Dandy/Nifty/Melo/Pronto Mesh/Rika set of 5 HCO9 Hard Floor Caster (Black) Small Wheel Jem/Melo Side set of 5 HCCH Hard Floor Caster (Chrome) 55s set of 5 GLIDES GLO1 Glide (Black Nylon) 12 Flite set of 4 GLO2 Glide (Black Nylon) 12 Jem (short)/Jem Arm Hole Covers set of 4 GLO3 Glide (Black Nylon) 12 Melo Side (short) set of 4 GLO5 Glide (Black Nylon) 12 Set of 4 GLO5 Glide (Black Nylon) 12 Set of 4 GLO6 Glide (White Nylon) 12 Set of 4 GLO7 Glide (Black Nylon) 29 |
| Jem/Melo Side |
| Set of 5 GLIDES GL01 Glide (Black Nylon) 12 Flite set of 4 GL02 Glide (Black Nylon) 12 Jem (short) / Jem Arm Hole Covers set of 4 GL03 Glide (Black Nylon) 12 Melo Side (Black Nylon) 12 LOD20 set of 4 GL06 Glide (White Nylon) 12 LOD151/157 set of 4 GL07 Glide (Black Nylon) 29 |
| GL01 Glide (Black Nylon) 12 Flite set of 4 GL02 Glide (Black Nylon) 12 Jem (short)/Jem Arm Hole Covers set of 4 GL03 Glide (Black Nylon) 12 Melo Side (short) set of 4 GL05 Glide (Black Nylon) 12 LOD20 set of 4 GL06 Glide (White Nylon) 12 LOD151/157 set of 4 GL07 Glide (Black Nylon) 29 |
| GL01 Glide (Black Nylon) 12 Flite set of 4 GL02 Glide (Black Nylon) 12 Jem (short)/Jem Arm Hole Covers set of 4 GL03 Glide (Black Nylon) 12 Melo Side (short) set of 4 GL05 Glide (Black Nylon) 12 LOD20 set of 4 GL06 Glide (White Nylon) 12 LOD151/157 set of 4 GL07 Glide (Black Nylon) 29 |
| Flite |
| Jem (short)/Jem Arm Hole Covers set of 4 GL03 Glide (Black Nylon) 12 |
| Melo Side (short) set of 4 GL05 Glide (Black Nylon) 12 LOD20 set of 4 GL06 Glide (White Nylon) 12 LOD151/157 set of 4 GL07 Glide (Black Nylon) 29 |
| LOD20 set of 4 GL06 Glide (White Nylon) 12 |
| LOD151/157 set of 4 GL07 Glide (Black Nylon) 29 |
| |
| , , |
| GLBG Stationary Bell Glide 45 set of 5 |
| GLRF Rubber Feet 35 set of 4 |
| |
| |
| |

| r parts a | nd upholstery. | Lifetime | vvarranty |
|--------------|--|------------------------------------|------------------|
| MODEL# | ITEM | | LIST PRICE |
| MULTI-SUI | RFACE CASTERS | | |
| MS02 | Multi-Surface Caste LOD40/LOD50 | er (Black) | 45 set of 5 |
| MS03 | Multi-Surface Caste LOD60/LOD70/LOD | | 45 set of 5 |
| MSLC | Multi-Surface Lock *Breaks when not s | | 75 set of 5 |
| MSRLC | Multi-Surface Reve *Breaks when seate | rse Locking Caster (Black) ed | 75 set of 5 |
| MSSHD | Multi-Surface Supe Big & Tall HD/Shield | r Heavy Duty Caster (Black d HD |) 75 set of 6 |
| UPHOLSTE | -RY | Net | Price |
| Grade 1 | Specify Patte | | 35 per yd |
| Grade 2 | Specify Patte | | 45 per yd |
| Grade 3 | Specify Patte | | 50 per yd |
| Grade 4 | Specify Patte | | 60 per yd |
| Grade 5 | Specify Patte | | 75 per yd |
| Grade 6 | Specify Patte | | 95 per yd |
| Ballistic Ny | | | 50 per yd |
| | | | |
| | | | |
| Co | ontact Customer S | Service for parts not sho | wn. |

shipping cost for parts and upholstery.

Lifetime Warranty

MODEL#

ARMS

AT/AW

ATS

ATS/AW

MAT/AW

AW

ΑL BAP

BT

RMFA

CY00

CY01

CY02

CY02-CH

CY02-HD

CY02-HD2

CY02-SHD

CY04-CH

CY04-HD CY05

CY05-CH

CY05-HD

CY06-CH CY06-HD

CY06

CY07

CY08

CY09

CY10

CY13

CY14

CY16

CY17

CY18

CY19

CY20

CY22

COVER

CY03 CY04

CYLINDER

DA

INDEX

| Accessories | 66 |
|--|-------|
| Arm Options | 65 |
| Arm Pad Options | 66 |
| Big &Tall | 8-11 |
| Brella Chair | 12 |
| Brella Stool | 13 |
| Caboodle Nesting Chair | 14 |
| Caster Options | 65 |
| Cloud Chair | 15 |
| Cloud Stool | 16 |
| Customer's Own Material (COM) Form | 7 |
| Customer's Own Material (COM) Instructions | 6 |
| Dandy | 17 |
| Dapper | 18 |
| Dental Stool | |
| Flite 2.0 Stacking Chair | 19 |
| General Purpose Stool | 20-21 |
| GSA Contract | |
| Jem | 22 |
| Jem+3 | 23 |
| Jem+6 | 24 |
| Jem Bar Stool | 26 |
| Jem Counter Stool | |
| Keen | |
| Leather On Demand | |
| Lineup Nesting Chair | 30 |
| Medical Stool | |
| Melo Basic | |
| Melo Side Chair | 31 |
| Melo Task | 33-34 |
| Melo Task Stool | |
| Nifty Chair | |
| Nifty Stool | |
| Parts List | |
| Polyurethane Stool | |
| Pronto Bantam | |
| Pronto Highback Chair | |
| Pronto Highback Stool | |
| Pronto Midback Chair | |
| Pronto Midback Stool | |
| Pronto Petite Chair | |
| Pronto Petite Stool | |
| Pronto Sit Stand | |
| Pronto 24/7 Highback Chair | |
| Pronto 24/7 Highback Stool | |
| TIONE 27/1 TIIGIDAON OLOOI | 55-50 |

| Pronto 24// Mesh-Back Chair | 57 |
|---------------------------------------|-------|
| Pronto 24/7 Mesh-Back Stool | 57 |
| Pronto 24/7 Midback Chair | 53-54 |
| Pronto 24/7 Midback Stool | 53-54 |
| Rika Leather Seat/Mesh Back Chair | 61 |
| Rika Mesh Seat/Mesh Back Chair | 60 |
| Rika Mesh Seat/Mesh Back Stool | 60 |
| Rika Upholstered Seat/Mesh Back Chair | 59 |
| Rika Upholstered Seat/Mesh Back Stool | 59 |
| Shield Law Enforcement | 62-63 |
| Snap Chair | 64 |
| Snap Stool | 64 |
| Terms & Conditions | 4-5 |



Buzz Seating Inc.

PO Box 31379 Cincinnati, OH 45231

Phone: 877-263-5737

Fax: 513-772-7328

buzzseating.com





